

M. di Bernardo C.J. Budd A.R. Champneys
P. Kowalczyk

Piecewise-smooth Dynamical Systems

Theory and Applications



Springer

Mario di Bernardo, Laurea; PhD
Department of Engineering Mathematics
University of Bristol, Bristol BS8 1TR, UK
and
Department of Systems and Computer Science
University of Naples Federico II, Naples, Italy

Alan R. Champneys, BSc; DPhil
Department of Engineering Mathematics
University of Bristol, Bristol BS8 1TR, UK

Christopher J. Budd, MA; DPhil
Department of Mathematical Sciences
University of Bath, Bath BA2 7AY, UK

Piotr Kowalczyk, MSc; PhD
School of Engineering
Computer Science and Mathematics,
University of Exeter, Exeter EX4 4QF, UK
and
Department of Engineering Mathematics
University of Bristol, Bristol BS8 1TR, UK

Editors:

S.S. Antman
Department of Mathematics
and
Institute for Physical
Science and Technology
University of Maryland
College Park, MD 20742-4015
USA
ssa@math.umd.edu

J.E. Marsden
Control and Dynamical
Systems, 107-81
California Institute of Technology
Pasadena, CA 91125
USA
marsden@cds.caltech.edu

L. Sirovich
Laboratory of Applied
Mathematics
Department of Biomathematical
Sciences
Mount Sinai School of Medicine
New York, NY 10029-6574
USA
chico@camelot.mssm.edu

The authors gratefully acknowledge the help of Dr Petri Piiroinen of the National University of Ireland at Galway, who used his novel numerical routines for piecewise-smooth dynamical systems to create the cover figure.

British Library Cataloguing in Publication Data
A catalogue record for this book is available from the British Library

ISBN: 978-1-84628-039-9

e-ISBN: 978-1-84628-708-4

Printed on acid-free paper

Library of Congress Control Number: 2007937295

Mathematics Subject Classification (2000): 34A36; 70K50; 37D45; 93C65; 70E55

© Springer-Verlag London Limited 2008

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency. Enquiries concerning reproduction outside those terms should be sent to the publishers.

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant laws and regulations and therefore free for general use.

The publisher makes no representation, express or implied, with regard to the accuracy of the information contained in this book and cannot accept any legal responsibility or liability for any errors or omissions that may be made.

9 8 7 6 5 4 3 2 1

Springer Science + Business Media
springer.com

Contents

| | | |
|----------|---|-----------|
| 1 | Introduction | 1 |
| 1.1 | Why piecewise smooth? | 1 |
| 1.2 | Impact oscillators | 3 |
| 1.2.1 | Case study I: A one-degree-of-freedom impact oscillator | 6 |
| 1.2.2 | Periodic motion | 13 |
| 1.2.3 | What do we actually see? | 18 |
| 1.2.4 | Case study II: A bilinear oscillator | 26 |
| 1.3 | Other examples of piecewise-smooth systems | 28 |
| 1.3.1 | Case study III: Relay control systems | 28 |
| 1.3.2 | Case study IV: A dry-friction oscillator | 32 |
| 1.3.3 | Case study V: A DC–DC converter | 34 |
| 1.4 | Non-smooth one-dimensional maps | 39 |
| 1.4.1 | Case study VI: A simple model of irregular heartbeats | 39 |
| 1.4.2 | Case study VII: A square-root map | 42 |
| 1.4.3 | Case study VIII: A continuous piecewise-linear map | 44 |
| 2 | Qualitative theory of non-smooth dynamical systems | 47 |
| 2.1 | Smooth dynamical systems | 47 |
| 2.1.1 | Ordinary differential equations (flows) | 49 |
| 2.1.2 | Iterated maps | 53 |
| 2.1.3 | Asymptotic stability | 58 |
| 2.1.4 | Structural stability | 59 |
| 2.1.5 | Periodic orbits and Poincaré maps | 63 |
| 2.1.6 | Bifurcations of smooth systems | 67 |
| 2.2 | Piecewise-smooth dynamical systems | 71 |
| 2.2.1 | Piecewise-smooth maps | 71 |
| 2.2.2 | Piecewise-smooth ODEs | 73 |
| 2.2.3 | Filippov systems | 75 |
| 2.2.4 | Hybrid dynamical systems | 78 |
| 2.3 | Other formalisms for non-smooth systems | 83 |
| 2.3.1 | Complementarity systems | 83 |

| | | |
|----------|---|-----|
| 2.3.2 | Differential inclusions | 88 |
| 2.3.3 | Control systems | 91 |
| 2.4 | Stability and bifurcation of non-smooth systems | 93 |
| 2.4.1 | Asymptotic stability | 94 |
| 2.4.2 | Structural stability and bifurcation | 96 |
| 2.4.3 | Types of discontinuity-induced bifurcations | 100 |
| 2.5 | Discontinuity mappings | 103 |
| 2.5.1 | Transversal intersections; a motivating calculation | 105 |
| 2.5.2 | Transversal intersections; the general case | 107 |
| 2.5.3 | Non-transversal (grazing) intersections | 111 |
| 2.6 | Numerical methods | 114 |
| 2.6.1 | Direct numerical simulation | 115 |
| 2.6.2 | Path-following | 118 |
| 3 | Border-collision in piecewise-linear continuous maps | 121 |
| 3.1 | Locally piecewise-linear continuous maps | 121 |
| 3.1.1 | Definitions | 124 |
| 3.1.2 | Possible dynamical scenarios | 125 |
| 3.1.3 | Border-collision normal form map | 127 |
| 3.2 | Bifurcation of the simplest orbits | 128 |
| 3.2.1 | A general classification theorem | 128 |
| 3.2.2 | Notation for bifurcation classification | 131 |
| 3.3 | Equivalence of border-collision classification methods | 137 |
| 3.3.1 | Observer canonical form | 137 |
| 3.3.2 | Proof of Theorem 3.1 | 140 |
| 3.4 | One-dimensional piecewise-linear maps | 143 |
| 3.4.1 | Periodic orbits of the map | 145 |
| 3.4.2 | Bifurcations between higher modes | 147 |
| 3.4.3 | Robust chaos | 149 |
| 3.5 | Two-dimensional piecewise-linear normal form maps | 154 |
| 3.5.1 | Border-collision scenarios | 155 |
| 3.5.2 | Complex bifurcation sequences | 157 |
| 3.6 | Maps that are noninvertible on one side | 159 |
| 3.6.1 | Robust chaos | 159 |
| 3.6.2 | Numerical examples | 164 |
| 3.7 | Effects of nonlinear perturbations | 169 |
| 4 | Bifurcations in general piecewise-smooth maps | 171 |
| 4.1 | Types of piecewise-smooth maps | 171 |
| 4.2 | Piecewise-smooth discontinuous maps | 174 |
| 4.2.1 | The general case | 174 |
| 4.2.2 | One-dimensional discontinuous maps | 176 |
| 4.2.3 | Periodic behavior: $l = -1$, $\nu_1 > 0$, $\nu_2 < 1$ | 180 |
| 4.2.4 | Chaotic behavior: $l = -1$, $\nu_1 > 0$, $1 < \nu_2 < 2$ | 185 |
| 4.3 | Square-root maps | 188 |

| | | |
|----------|---|------------|
| 4.3.1 | The one-dimensional square-root map | 188 |
| 4.3.2 | Quasi one-dimensional behavior | 193 |
| 4.3.3 | Periodic orbits bifurcating from the border-collision | 199 |
| 4.3.4 | Two-dimensional square-root maps | 205 |
| 4.4 | Higher-order piecewise-smooth maps | 210 |
| 4.4.1 | Case I: $\gamma = 2$ | 211 |
| 4.4.2 | Case II: $\gamma = 3/2$ | 213 |
| 4.4.3 | Period-adding scenarios | 214 |
| 4.4.4 | Location of the saddle-node bifurcations | 217 |
| 5 | Boundary equilibrium bifurcations in flows | 219 |
| 5.1 | Piecewise-smooth continuous flows | 219 |
| 5.1.1 | Classification of simplest BEB scenarios | 221 |
| 5.1.2 | Existence of other attractors | 225 |
| 5.1.3 | Planar piecewise-smooth continuous systems | 226 |
| 5.1.4 | Higher-dimensional systems | 229 |
| 5.1.5 | Global phenomena for persistent boundary equilibria | 232 |
| 5.2 | Filippov flows | 233 |
| 5.2.1 | Classification of the possible cases | 235 |
| 5.2.2 | Planar Filippov systems | 237 |
| 5.2.3 | Some global and non-generic phenomena | 242 |
| 5.3 | Equilibria of impacting hybrid systems | 245 |
| 5.3.1 | Classification of the simplest BEB scenarios | 246 |
| 5.3.2 | The existence of other invariant sets | 249 |
| 6 | Limit cycle bifurcations in impacting systems | 253 |
| 6.1 | The impacting class of hybrid systems | 253 |
| 6.1.1 | Examples | 255 |
| 6.1.2 | Poincaré maps related to hybrid systems | 261 |
| 6.2 | Discontinuity mappings near grazing | 265 |
| 6.2.1 | The geometry near a grazing point | 266 |
| 6.2.2 | Approximate calculation of the discontinuity mappings . | 271 |
| 6.2.3 | Calculating the PDM | 271 |
| 6.2.4 | Approximate calculation of the ZDM | 273 |
| 6.2.5 | Derivation of the ZDM and PDM using Lie derivatives . | 274 |
| 6.3 | Grazing bifurcations of periodic orbits | 279 |
| 6.3.1 | Constructing compound Poincaré maps | 280 |
| 6.3.2 | Unfolding the dynamics of the map | 284 |
| 6.3.3 | Examples | 285 |
| 6.4 | Chattering and the geometry of the grazing manifold | 295 |
| 6.4.1 | Geometry of the stroboscopic map | 295 |
| 6.4.2 | Global behavior of the grazing manifold \mathcal{G} | 296 |
| 6.4.3 | Chattering and the set $G^{(\infty)}$ | 299 |
| 6.5 | Multiple collision bifurcation | 302 |

| | | |
|----------|--|-----|
| 7 | Limit cycle bifurcations in piecewise-smooth flows | 307 |
| 7.1 | Definitions and examples | 307 |
| 7.2 | Grazing with a smooth boundary | 318 |
| 7.2.1 | Geometry near a grazing point | 319 |
| 7.2.2 | Discontinuity mappings at grazing | 321 |
| 7.2.3 | Grazing bifurcations of periodic orbits | 325 |
| 7.2.4 | Examples | 327 |
| 7.2.5 | Detailed derivation of the discontinuity mappings | 334 |
| 7.3 | Boundary-intersection crossing bifurcations | 340 |
| 7.3.1 | The discontinuity mapping in the general case | 341 |
| 7.3.2 | Derivation of the discontinuity mapping in the corner-collision case | 346 |
| 7.3.3 | Examples | 347 |
| 8 | Sliding bifurcations in Filippov systems | 355 |
| 8.1 | Four possible cases | 355 |
| 8.1.1 | The geometry of sliding bifurcations | 356 |
| 8.1.2 | Normal form maps for sliding bifurcations | 359 |
| 8.2 | Motivating example: a relay feedback system | 364 |
| 8.2.1 | An adding-sliding route to chaos | 366 |
| 8.2.2 | An adding-sliding bifurcation cascade | 368 |
| 8.2.3 | A grazing-sliding cascade | 370 |
| 8.3 | Derivation of the discontinuity mappings | 373 |
| 8.3.1 | Crossing-sliding bifurcation | 375 |
| 8.3.2 | Grazing-sliding bifurcation | 377 |
| 8.3.3 | Switching-sliding bifurcation | 381 |
| 8.3.4 | Adding-sliding bifurcation | 382 |
| 8.4 | Mapping for a whole period: normal form maps | 383 |
| 8.4.1 | Crossing-sliding bifurcation | 384 |
| 8.4.2 | Grazing-sliding bifurcation | 390 |
| 8.4.3 | Switching-sliding bifurcation | 393 |
| 8.4.4 | Adding-sliding bifurcation | 395 |
| 8.5 | Unfolding the grazing-sliding bifurcation | 396 |
| 8.5.1 | Non-sliding period-one orbits | 396 |
| 8.5.2 | Sliding orbit of period-one | 397 |
| 8.5.3 | Conditions for persistence or a non-smooth fold | 399 |
| 8.5.4 | A dry-friction example | 399 |
| 8.6 | Other cases | 403 |
| 8.6.1 | Grazing-sliding with a repelling sliding region — catastrophe | 403 |
| 8.6.2 | Higher-order sliding | 404 |

| | | |
|-------------------|---|-----|
| 9 | Further applications and extensions | 409 |
| 9.1 | Experimental impact oscillators: noise and parameter sensitivity | 409 |
| 9.1.1 | Noise | 410 |
| 9.1.2 | An impacting pendulum: experimental grazing bifurcations | 412 |
| 9.1.3 | Parameter uncertainty | 419 |
| 9.2 | Rattling gear teeth: the similarity of impacting and piecewise-smooth systems | 422 |
| 9.2.1 | Equations of motion | 423 |
| 9.2.2 | An illustrative case | 425 |
| 9.2.3 | Using an impacting contact model | 426 |
| 9.2.4 | Using a piecewise-linear contact model | 431 |
| 9.3 | A hydraulic damper: non-smooth invariant tori | 434 |
| 9.3.1 | The model | 436 |
| 9.3.2 | Grazing bifurcations | 438 |
| 9.3.3 | A grazing bifurcation analysis for invariant tori | 441 |
| 9.4 | Two-parameter sliding bifurcations in friction oscillators | 448 |
| 9.4.1 | A degenerate crossing-sliding bifurcation | 449 |
| 9.4.2 | Fold bifurcations of grazing-sliding limit cycles | 453 |
| 9.4.3 | Two simultaneous grazings | 455 |
| References | | 459 |
| Index | | 475 |