

Chaos and Time-Series Analysis

Julien Clinton Sprott

*Department of Physics
University of Wisconsin-Madison*

OXFORD
UNIVERSITY PRESS

Contents

1	Introduction	1
1.1	Examples of dynamical systems	2
1.1.1	Astronomical systems	2
1.1.2	The Solar System	3
1.1.3	Fluids	4
1.1.4	Nonphysical systems	4
1.2	Driven pendulum	5
1.3	Ball on an oscillating floor	8
1.4	Dripping faucet	9
1.5	Chaotic electrical circuits	11
1.5.1	Inductor-diode circuit	11
1.5.2	Chua's circuit	12
1.5.3	Jerk circuits	12
1.5.4	Relaxation oscillators	14
1.6	Other demonstrations of chaos	16
1.7	Exercises	18
1.8	Computer project: The logistic equation	19
2	One-dimensional maps	20
2.1	Exponential growth in discrete time	20
2.2	The logistic equation	22
2.3	Bifurcations in the logistic map	24
2.3.1	$0 < A < 1$ case	24
2.3.2	$1 < A < 3$ case	25
2.3.3	$3 < A < 3.44948 \dots$ case	25
2.3.4	$3.44948 \dots < A < 3.56994 \dots$ case	26
2.3.5	$3.56994 \dots < A < 4$ case	27
2.3.6	$A = 4$ case	29
2.3.7	$A > 4$ case	30
2.4	Other properties of the logistic map with $A = 4$	31
2.4.1	Unstable periodic orbits	31
2.4.2	Eventually fixed points	32
2.4.3	Eventually periodic points	34
2.4.4	Probability distribution	34
2.4.5	Nonrecursive representation	36
2.5	Other one-dimensional maps	36
2.5.1	Sine map	37

2.5.2	Tent map	37
2.5.3	General symmetric map	39
2.5.4	Binary shift map	40
2.6	Computer random-number generators	41
2.7	Exercises	43
2.8	Computer project: Bifurcation diagrams	45
3	Nonchaotic multi-dimensional flows	46
3.1	Exponential growth in continuous time	46
3.2	Logistic differential equation	48
3.3	Circular motion	50
3.4	Simple harmonic oscillator	52
3.5	Driven harmonic oscillator	53
3.6	Damped harmonic oscillator	57
3.6.1	Overdamped case	58
3.6.2	Critically damped case	58
3.6.3	Underdamped case	58
3.7	Driven damped harmonic oscillator	59
3.8	Van der Pol equation	61
3.9	Numerical solution of differential equations	63
3.9.1	Euler method	64
3.9.2	Leap-frog method	65
3.9.3	Second-order Runge-Kutta method	66
3.9.4	Fourth-order Runge-Kutta method	66
3.10	Exercises	68
3.11	Computer project: Van der Pol equation	70
4	Dynamical systems theory	72
4.1	Two-dimensional equilibria	72
4.2	Stability of two-dimensional equilibria	74
4.3	Damped harmonic oscillator revisited	75
4.4	Saddle points	76
4.5	Area contraction and expansion	78
4.6	Nonchaotic three-dimensional attractors	80
4.6.1	Equilibrium points	80
4.6.2	Limit cycles	82
4.6.3	Tori	83
4.7	Stability of two-dimensional maps	85
4.8	Chaotic dissipative flows	86
4.8.1	Nonautonomous chaotic flows	87
4.8.2	Lorenz attractor	90
4.8.3	Rössler attractor	93
4.8.4	Simplest quadratic chaotic flow	94
4.8.5	Jerk systems	96
4.9	Shadowing	99
4.10	Exercises	100

4.11	Computer project: The Lorenz attractor	102
5	Lyapunov exponents	104
5.1	Lyapunov exponent for one-dimensional maps	105
5.1.1	Binary shift map	106
5.1.2	Tent map	106
5.1.3	Logistic map	107
5.1.4	Other one-dimensional maps	109
5.2	Lyapunov exponents for two-dimensional maps	110
5.2.1	Largest Lyapunov exponent	110
5.2.2	Hénon map	111
5.2.3	Area expansion and contraction	112
5.3	Lyapunov exponent for one-dimensional flows	113
5.4	Lyapunov exponents for two-dimensional flows	114
5.5	Lyapunov exponents for three-dimensional flows	115
5.6	Numerical calculation of the largest Lyapunov exponent	116
5.7	Lyapunov exponent spectrum in arbitrary dimension	118
5.8	General characteristics of Lyapunov exponents	119
5.9	Kaplan-Yorke (or Lyapunov) dimension	121
5.10	Precautions	122
5.11	Exercises	123
5.12	Computer project: Lyapunov exponent	125
6	Strange attractors	127
6.1	General properties	127
6.2	Examples	129
6.3	Search methods	131
6.3.1	Simplest piecewise linear chaotic flow	133
6.3.2	Chaotic driven van der Pol oscillator	134
6.4	Probability of chaos	135
6.4.1	Quadratic maps and flows	135
6.4.2	Artificial neural networks	135
6.5	Statistical properties	137
6.5.1	Attractor dimension	137
6.5.2	Lyapunov exponent	138
6.5.3	Routes to chaos	138
6.6	Visualization methods	141
6.6.1	Projections onto a plane	141
6.6.2	Poincaré sections	141
6.6.3	Colors and gray scales	143
6.6.4	Illumination and shadows	143
6.6.5	Anaglyphs	144
6.6.6	Stereo pairs	145
6.6.7	Animations	146
6.7	Unstable periodic orbits	146

6.8	Basins of attraction	147
6.8.1	Hénon map	148
6.8.2	Lozi map	148
6.8.3	Tinkerbell map	148
6.8.4	Julia sets	149
6.8.5	Duffing's two-well oscillator	150
6.9	Structural stability and robustness	151
6.10	Aesthetics	153
6.10.1	Aesthetic evaluation	153
6.10.2	Computer art	154
6.10.3	Symmetries	155
6.11	Exercises	156
6.12	Computer project: Hénon map	158
7	Bifurcations	159
7.1	Bifurcations in one-dimensional flows	160
7.1.1	Fold	161
7.1.2	Transcritical	162
7.1.3	Pitchfork	162
7.2	Hopf bifurcation	164
7.3	Bifurcations in one-dimensional maps	166
7.3.1	Fold	166
7.3.2	Flip	168
7.3.3	Transcritical	168
7.3.4	Pitchfork	169
7.4	Neimark-Sacker bifurcation	169
7.5	Homoclinic and heteroclinic bifurcations	170
7.5.1	Autonomous Duffing's oscillator	171
7.5.2	Rössler and Lorenz attractors	172
7.5.3	Driven Duffing's oscillator	174
7.6	Crises	175
7.6.1	Boundary crisis	176
7.6.2	Interior crisis	177
7.6.3	Attractor merging crisis	178
7.7	Exercises	180
7.8	Computer project: Poincaré sections	182
8	Hamiltonian chaos	184
8.1	Mass on a spring	185
8.2	Hamilton's equations	185
8.3	Properties of Hamiltonian systems	186
8.4	Simple pendulum	187
8.5	Driven pendulum	190
8.6	Other driven nonlinear oscillators	192
8.7	Hénon-Heiles system	194
8.8	Three-dimensional conservative flows	195

8.8.1	Nosé-Hoover oscillator	195
8.8.2	Labyrinth chaos	196
8.8.3	Conservative jerk systems	198
8.9	Symplectic maps	199
8.9.1	Hénon area-preserving quadratic map	199
8.9.2	Arnold's cat map	201
8.9.3	Gingerbreadman map	202
8.9.4	Chaotic web maps	203
8.9.5	Chirikov (standard) map	203
8.9.6	Lorenz three-dimensional chaotic map	205
8.10	KAM theory	206
8.11	Exercises	207
8.12	Computer project: Chirikov map	209
9	Time-series properties	211
9.1	Hierarchy of dynamical behaviors	212
9.2	Examples of experimental time series	213
9.3	Practical considerations	215
9.4	Conventional linear methods	216
9.4.1	Stationarity	216
9.4.2	Probability distribution	218
9.4.3	Detrending	219
9.4.4	Fourier analysis	220
9.4.5	Autocorrelation function	224
9.4.6	Hurst exponent	225
9.4.7	Smoothing	227
9.5	Case study	228
9.5.1	Colored noise	228
9.5.2	Gaussian white noise	229
9.5.3	Gaussian chaotic time series	230
9.5.4	Conventional linear analysis	232
9.5.5	Surrogate data	232
9.5.6	Return maps	235
9.6	Time-delay embeddings	236
9.6.1	Whitney's embedding theorem	237
9.6.2	Takens' delay embedding theorem	237
9.6.3	Hénon map example	238
9.7	Summary of important dimensions	238
9.8	Exercises	239
9.9	Computer project: Autocorrelation function	241
10	Nonlinear prediction and noise reduction	243
10.1	Linear predictors	244
10.1.1	Autoregressive models	244
10.1.2	Pure sine wave example	245
10.1.3	Noisy sine wave example	246

10.1.4	Hénon map example	247
10.2	State-space prediction	247
10.2.1	Hénon map example	247
10.2.2	State-space averaging	248
10.2.3	Noisy Hénon map example	250
10.2.4	Temperature data example	250
10.3	Noise reduction	251
10.3.1	Linear methods	251
10.3.2	State-space averaging	252
10.3.3	Noisy Hénon map example	252
10.4	Lyapunov exponents from experimental data	253
10.4.1	Hénon map example	254
10.4.2	Improvements	255
10.5	False nearest neighbors	256
10.5.1	Hénon map example	257
10.5.2	Recurrence plots	257
10.5.3	Space-time separation plots	259
10.5.4	Fast neighbor search	259
10.6	Principal component analysis	260
10.7	Artificial neural network predictors	263
10.7.1	Multi-dimensional Newton-Raphson	264
10.7.2	Simulated annealing	264
10.7.3	Hénon map example	265
10.7.4	Deterministic $1/f$ noise	267
10.8	Exercises	269
10.9	Computer project: Nonlinear prediction	271
11	Fractals	273
11.1	Cantor sets	274
11.2	Fractal curves	276
11.2.1	Devil's staircase	276
11.2.2	Hilbert curve	277
11.2.3	Von Koch snowflake	278
11.2.4	Julia set	280
11.2.5	Weierstrass function	280
11.3	Fractal trees	282
11.3.1	Snowflake	282
11.3.2	Dendrite	282
11.3.3	Stick trees	283
11.3.4	Lindenmayer systems	283
11.4	Fractal gaskets	284
11.4.1	Sierpinski carpet	285
11.4.2	Sierpinski triangle	285
11.4.3	Cantor square	285
11.4.4	Flat Fournier universe	286

11.5	Fractal sponges	287
11.6	Random fractals	288
11.6.1	Random Cantor sets	289
11.6.2	Random fractal curves	289
11.6.3	Random fractal gaskets	289
11.6.4	Fractional Brownian motion	291
11.6.5	Diffusion-limited aggregation	292
11.7	Fractal landscapes	294
11.7.1	Fractal forests	294
11.7.2	Fractal craters	295
11.7.3	Fractal terrain	295
11.7.4	Fractal oceans	296
11.7.5	Plasma clouds	296
11.8	Natural fractals	297
11.9	Exercises	299
11.10	Computer project: State-space reconstruction	300
12	Calculation of the fractal dimension	302
12.1	Similarity dimension	303
12.2	Capacity dimension	304
12.3	Correlation dimension	307
12.4	Entropy	311
12.5	BDS statistic	313
12.6	Minimum mutual information	314
12.7	Practical considerations	317
12.7.1	Calculation speed	317
12.7.2	Required number of data points	317
12.7.3	Required precision of the data	319
12.7.4	Noisy data	319
12.7.5	Multivariate data	321
12.7.6	Filtered data	321
12.7.7	Missing data	322
12.7.8	Nonuniformly sampled data	323
12.7.9	Nonstationary data	323
12.8	Fractal dimension of graphic images	323
12.9	Exercises	326
12.10	Computer project: Correlation dimension	327
13	Fractal measure and multifractals	329
13.1	Convergence of the correlation dimension	330
13.1.1	Logistic map	330
13.1.2	General one-dimensional maps	331
13.1.3	One-dimensional maps in higher embeddings	334
13.1.4	Decoupled one-dimensional maps	334
13.1.5	Two-dimensional maps	334
13.1.6	Chaotic flows	335

13.2	Multifractals	336
13.2.1	Sinai map	337
13.2.2	Generalized dimensions	337
13.2.3	Information dimension	338
13.2.4	Multifractal properties	339
13.3	Examples of generalized dimensions	340
13.3.1	Asymmetric Cantor set	340
13.3.2	General symmetric map	340
13.4	Numerical calculation of generalized dimensions	341
13.4.1	Logistic map with $A = 4$	342
13.4.2	Logistic map with $A = A_{\text{bc}}$	342
13.5	Singularity spectrum	343
13.6	Generalized entropies	345
13.7	Unbounded strange attractors	346
13.7.1	Spence map	346
13.7.2	Burke-Shaw attractor	347
13.8	Summary of time-series analysis methods	348
13.9	Exercises	349
13.10	Computer project: Iterated function systems	351
14	Nonchaotic fractal sets	353
14.1	The chaos game	353
14.2	Affine transformations	356
14.3	Iterated function systems	358
14.3.1	Examples	358
14.3.2	Aesthetics	361
14.3.3	IFS clumpiness test	362
14.4	Julia sets	364
14.5	The Mandelbrot set	368
14.6	Generalized Julia sets	372
14.7	Basins of Newton's method	374
14.8	Computational considerations	376
14.9	Exercises	377
14.10	Computer project: Mandelbrot and Julia sets	379
15	Spatiotemporal chaos and complexity	381
15.1	Cellular automata	382
15.1.1	One-dimensional example	382
15.1.2	Game of Life	385
15.1.3	Extensions	387
15.1.4	Self-organization	388
15.2	Self-organized criticality	390
15.2.1	Sand piles	391
15.2.2	Power-law spectra	391
15.3	The Ising model	394
15.4	Percolation	396

15.5	Coupled lattices	398
15.5.1	Artificial neural networks	398
15.5.2	Coupled map lattices	399
15.5.3	Coupled flow lattices	400
15.6	Infinite-dimensional systems	401
15.6.1	Delay differential equations	402
15.6.2	Partial differential equations	403
15.6.3	Navier-Stokes equation	403
15.6.4	Boldrighini-Francheschini equations	404
15.6.5	Burgers' equation	404
15.6.6	Korteweg-de Vries equation	406
15.6.7	Kuramoto-Sivashinsky equation	409
15.7	Measures of complexity	410
15.8	Summary of spatiotemporal models	412
15.9	Concluding remarks	413
15.10	Exercises	413
15.11	Computer project: Spatiotemporal chaos and complexity	416
A	Common chaotic systems	417
A.1	Noninvertible maps	417
A.1.1	Logistic map	417
A.1.2	Sine map	418
A.1.3	Tent map	418
A.1.4	Linear congruential generator	418
A.1.5	Cubic map	419
A.1.6	Ricker's population model	419
A.1.7	Gauss map	419
A.1.8	Cusp map	420
A.1.9	Gaussian white chaotic map	420
A.1.10	Pinchers map	420
A.1.11	Spence map	421
A.1.12	Sine-circle map	421
A.2	Dissipative maps	421
A.2.1	Hénon map	421
A.2.2	Lozi map	422
A.2.3	Delayed logistic map	422
A.2.4	Tinkerbell map	422
A.2.5	Burgers' map	423
A.2.6	Holmes cubic map	423
A.2.7	Kaplan-Yorke map	423
A.2.8	Dissipative standard map	424
A.2.9	Ikeda map	424
A.2.10	Sinai map	425
A.2.11	Discrete predator-prey map	425

A.3	Conservative maps	425
A.3.1	Chirikov (standard) map	425
A.3.2	Hénon area-preserving quadratic map	426
A.3.3	Arnold's cat map	426
A.3.4	Gingerbreadman map	426
A.3.5	Chaotic web map	427
A.3.6	Lorenz three-dimensional chaotic map	427
A.4	Driven dissipative flows	428
A.4.1	Damped driven pendulum	428
A.4.2	Driven van der Pol oscillator	428
A.4.3	Shaw-van der Pol oscillator	428
A.4.4	Forced Brusselator	429
A.4.5	Ueda oscillator	429
A.4.6	Duffing's two-well oscillator	429
A.4.7	Duffing-van der Pol oscillator	430
A.4.8	Rayleigh-Duffing oscillator	430
A.5	Autonomous dissipative flows	431
A.5.1	Lorenz attractor	431
A.5.2	Rössler attractor	431
A.5.3	Diffusionless Lorenz attractor	431
A.5.4	Complex butterfly	432
A.5.5	Chen's system	432
A.5.6	Hadley circulation	433
A.5.7	ACT attractor	433
A.5.8	Rabinovich-Fabrikant attractor	433
A.5.9	Linear feedback rigid body motion system	434
A.5.10	Chua's circuit	434
A.5.11	Moore-Spiegel oscillator	435
A.5.12	Thomas' cyclically symmetric attractor	435
A.5.13	Halvorsen's cyclically symmetric attractor	435
A.5.14	Burke-Shaw attractor	436
A.5.15	Rucklidge attractor	436
A.5.16	WINDMI attractor	437
A.5.17	Simplest quadratic chaotic flow	437
A.5.18	Simplest cubic chaotic flow	437
A.5.19	Simplest piecewise linear chaotic flow	438
A.5.20	Double scroll	438
A.6	Conservative flows	439
A.6.1	Driven pendulum	439
A.6.2	Simplest driven chaotic flow	439
A.6.3	Noé-Hoover oscillator	439
A.6.4	Labyrinth chaos	440
A.6.5	Hénon-Heiles system	440

B	Useful mathematical formulas	441
B.1	Trigonometric relations	441
B.2	Hyperbolic functions	441
B.3	Logarithms	442
B.4	Complex numbers	442
B.5	Derivatives	443
B.6	Integrals	443
B.7	Approximations	444
B.8	Matrices and determinants	444
B.9	Roots of polynomials	445
	B.9.1 Linear systems	445
	B.9.2 Quadratic systems	445
	B.9.3 Cubic systems	445
	B.9.4 Quartic systems	445
	B.9.5 Newton–Raphson method	446
B.10	Vector calculus	446
C	Journals with chaos and related papers	447
	Bibliography	449
	Index	485