


London Mathematical Society Lecture Note Series. 107

Compactification of Siegel Moduli Schemes

CHING-LI CHAI

Princeton University



CAMBRIDGE UNIVERSITY PRESS

Cambridge

London New York New Rochelle

Melbourne Sydney

Table Of Contents

	page
<u>Introduction</u>	ix
<u>Chapter I: Review of the Siegel Moduli Schemes</u>	1
§1. Construction via geometric invariant theory	2
§2. Complex holomorphic uniformization of the Siegel moduli spaces and Siegel modular forms	9
§3. Satake compactification	18
§4. Thetanullwerte as canonical coordinates	28
§5. Toroidal compactification	39
§6. Tai's theorem on projectivity of toroidal compactification	55
<u>Chapter II: Analytic Quotient Construction of Families of Degenerating Abelian Varieties</u>	64
§0. Introduction	64
§1. Motivating example: abelian varieties over $\mathbb{C}$ represented as a 2-step quotient	67
§2. Semi-abelian varieties	76
§3. Polarizations and ample sheaf data	89
§4. Relatively complete models	98
§5. The construction of the quotient	109
§6. Group law on the quotient	115
§7. Theta level structure	125

<u>Chapter III: Test Families as Coordinates at the Boundary</u>	133
§1. Construction of the test families	133
§2. Fourier-Jacobi expansion	143
Appendix to chapter III: Relative schemes over ringed spaces	150
 <u>Chapter IV: Propagation of Tai's Theorem to Positive</u>	
<u>Characteristics</u>	159
§1. Some combinatorial results	159
§2. Structure of the proof of the main Theorem	171
§3. Toward an algebraic proof of Tai's theorem on projectivity of toroidal compactification	178
§4. Construction of toroidal completions of Siegel moduli schemes over $\mathbb{Z}[\frac{1}{2}]$	187
 <u>Chapter V: Application to Siegel Modular Forms</u>	198
§1. The q-expansion principle	198
§2. Rationality and finiteness theorem	207
§3. Ampleness of $\underline{\omega}$	209
 <u>Appendix I: Non-Symmetric Theta Constants</u>	212
§1. Theta structure and theta constants	212
§2. Addition formula	213
§3. Consequence of the addition formula	217
§4. Structure of modules over the projective coordinates ring associated to invertible sheaves	224

<u>Appendix II: Algebraic Theta Functions with Values in Complete Local Fields and Their Applications</u>	237
§1. Structure theory of 2-adic theta functions with values in a complete algebraically closed field	237
§2. Quasi-unipotency of monodromy	265
§3. The uniformization theorem: case residue char. $\neq 2$..	273
<u>Appendix III: Stratification of Theta Closure</u>	287
§1. The classical case: $k = \mathbb{C}$	287
§2. The general case: $k = \bar{k}$, char.(k) $\neq 2$	298
<u>Bibliography</u>	315
<u>Index</u>	323