

Horst Herrlich

Axiom of Choice

 Springer

Index

A

- accumulation point, 3.11, 3.25
- accumulation point, complete, 3.18
- Adjoint Functor Theorem, 4.50
- Aleph, 2.20
- Aleph-Hypothesis, **AH**, 2.19
 - , Special **AH(0)**, 2.19
- Alexandroff Urysohn-compact, 3.21
- amorphous set, E.11. in Section 4.1
- antichain, 2.2
- area preserving affine maps, 5.18
- Ascoli Theorem, 4.90
 - , Classical, 4.96
 - , Modified, 4.98
- automorphism, E.7. in Section 5.1
- Axiom of Choice, **AC**, 1.1
- Axiom of Countable Choice, **CC**, 2.5
- Axiom of Countable Multiple Choice, **CMC**, 2.10
- Axiom of Determinateness, **AD**, 7.12
- Axiom of Even Choice, **EAC**, E.1. in Section 2.1
- Axiom of Multiple Choice, **AMC**, 2.7
- Axiom of Odd Choice, **OAC**, E.1. in Section 2.1
- Axiom of Partial Countable Choice, **PCC**, 2.11

B

- Baire Category Theorem, 4.100
- Baire space, 4.99
- Banach-Tarski Paradox, **BTP**, 5.23
- Bernstein Monsters, 5.8
- Boolean Prime Ideal Theorem, **PIT**, 2.15

C

- Cantor cubes, 2^I , 4.70
- cartesian closed, Section 4.9
- Cauchy-equation, 5.1
- Čech-Stone Theorem, 4.82, 4.85
- chain, 2.2
- chromatic number, E 9, E 11. in Section 4.11
- closed lattice, 4.28
- colorable, n -, 4.109
- coloration, c -, E 11. in Section 4.11
- coloration, n -, 4.109
- compact, 3.21
 - , Alexandroff-Urysohn-, 3.21
 - , countably, 3.25
 - , filter-, 3.21
 - , sequentially, 3.25
 - , Tyrhonoff-, 3.23
 - , ultrafilter-, 3.21
 - , Weierstrass-, 3.25
- compact-open topology on $C(X, Y)$, τ_{co} , Section 4.9, before 4.90
- comparable w.r.t \leq , 4.18
- comparable w.r.t \leq^* , 4.18
- complete graph, 4.109
- complete pseudometric space, 3.25
- completely distributive, E 9. in Section 4.3
- congruent, \approx , 5.1
- connected graph, 4.109
- constructive suprema, E 12. in Section 4.3
- Continuum Hypothesis, **CH**, 2.19
 - Generalized, **GCH**, 2.19
- Countable Union Theorem, **CUT**, 3.2
- cycle, E 1 in Section 4.11

D

- Decomposition Paradox, von Neumann's, 5.27, 5.28
- Decomposition Theorem, Hausdorff's, 5.13
 - , Robinson's, 5.16, 5.21
 - , Sierpiński's, 5.30
- decreasing sequence, 4.25
- Dedekind cardinal, 4.15
- Dedekind-finite = D -finite, 2.13, 4.1
- Dedekind-infinite = D -infinite, 2.13, 4.1
- determinate game, 6.1, 7.9

E

- enough projective sets, E 7. in Section 2.2
- epireflective, 4.82
- epireflective hull, 4.87
- epicontinuous, 4.90
- equidecomposable, \sim_e , 5.22

F

- finite, 4.4
- finite character, 2.2
- filter, 4.29
 - \cdot , maximal, 4.29
 - \cdot , prime, 4.29
- filter-compact, 3.21
- filter-complete, E 4. in Section 4.10
- frame, E 13 in Section 4.3
- Fréchet space, 4.53
- free group F_2 , 5.17

G

- game, 6.1, 7.9
- graph, 4.109
- Generalized Continuum Hypothesis, **GCH**, 2.19
- Grph**, E 6. in Section 4.11

H

- Hahn-Banach Theorem, **HBT**, 5.25
- Hamel basis, 5.2 (Proof)
- Hartog's number, 1.3
- Haus** = category of Hausdorff spaces, 4.72
- Hausdorff's Decomposition Theorem, 5.25
- Hausdorff's Maximal Chain Condition, 2.2
- H -closed, between 3.22 and 3.23
- Hilbert cubes, $[0, 1]^I$, 4.70
- homomorphism for graphs, 4.109

I

- ideal, 4.29
 - \cdot , maximal, 4.29
 - \cdot , prime, 4.29
- increasing sequence, 4.25
- infinite, 4.4
- injective vector space, between 4.47 and 4.48

K

Kirna-Wagner Selection Principle, **KW**, 2.8

Kurepa's Maximal Antichain Condition, 2.4

L

lattice, 4.27

-, closed, 4.28

-, powerset-, 4.28

-, open, 4.28

law of excluded middle, after 1.4

Lindelöf space, E 9. in Section 3.3

linear order (= chain), 2.2

M

maximal filter, 4.29

maximal ideal, 4.29

measure, n -dimensional, 5.12

Mothers, Bernstein, 5.8

-, Sierpiński, 5.9

-, Vitali, 5.7

Moser Spindle, E 9. in Section 4.11

move, 6.1

Multiplicative Axiom, 2.1

N

von Neumann's Decomposition Paradox (phase), 5.27

-, (real line), 5.28

O

open lattice, 4.28

orderable topological space, E 4. in Section 4.7

Order Extension Principle, **OEP**, 2.17

Ordering Principle, **OP**, 2.17

outcome, 6.1

P

powerset-lattice, 4.28

prime filter, 4.29

prime ideal, 4.29

Principle of Dependent Choices, **DC**, 2.11

Principle of Dependent Multiple Choices, **DMC**, E 2 in Section 2.2 and E 5.

in Section 4.10

projective set, E 4. in Section 2.1

projective vector space, between 4.47 and 4.48

pseudocomplement, 4.34

pseudometric, 3.25

R

retraction, E 4, in Section 2.1

Robinson's Decomposition Theorem (unit ball), 5.21

– (unit sphere), 5.16

S

sequential space, 4.53

sequentially compact, 3.25

sequentially continuous, 3.15

Shelah–Soifer Graph, E 10, in Section 4.11

Sierpiński's Decomposition Theorem for Unit Disks, 5.30

Sierpiński Monsters, 5.9

Sierpiński space, before 4.90 footnote 136

σ -compact, E 1, in Section 7.1

Sorgenfrey line, E 3.(8) in Section 4.6

Special Aleph-Hypothesis, $\mathbf{AH}(0)$, 2.19

strategy, 6.1

supercompact, E 10, in Section 4.8

T

Teichüller–Tukey Lemma, 2.2

totally bounded, 3.25

Tych = category of completely regular spaces, 4.85

Tychonoff-compact, 3.23

Tychonoff Theorem, 4.68, 4.81, 4.84

U

ugly, 5.3

ultrafilter-compact, 3.21

Ultrafilter Theorem, **UFT**, 2.15

–, Weak, **WUF**, 2.15

V

vector space, Section 4.4

vertex, 4.109

Vitali Monsters, 5.7

W

weak topology on $C(X, Y)$, before 4.90

Weak Ultrafilter Principle, **WUF**, 2.15

Weierstrass-compact, 3.25

Well-Order Theorem, **WOT**, Section 1.1, page 2

winning set, 6.1

winning strategy, 6.1

Z

Zermelo–Fraenkel set theory with **AC**, **ZFC**, Preface page XI

Zermelo–Fraenkel set theory without **AC**, **ZF**, Preface page VIII

zero-lattice, E 6, in Section 4.3

zero-set, E 6, in Section 4.3

Zorn’s Lemma, 2.2