

The Lanczos and Conjugate Gradient Algorithms

From Theory to
Finite Precision Computations

Gérard Meurant

CEA/DIF

Bruyères le Châtel, France

siam

Society for Industrial and Applied Mathematics
Philadelphia

Contents

Preface	xi
1 The Lanczos algorithm in exact arithmetic	1
1.1 Introduction to the Lanczos algorithm	2
1.2 Lanczos polynomials	9
1.3 Interlacing properties and approximations of eigenvalues	16
1.4 The components of the eigenvectors of T_k	20
1.5 Study of the pivot functions	22
1.6 Bounds for the approximation of eigenvalues	25
1.7 A priori bounds	41
1.8 Computation of the approximate eigenvalues	43
1.9 Harmonic Ritz values	43
2 The CG algorithm in exact arithmetic	45
2.1 Derivation of the CG algorithm from the Lanczos algorithm	46
2.2 Relations between residuals and descent directions	53
2.3 The norm of the residual	55
2.4 The A -norm of the error	58
2.5 The l_2 norm of the error	68
2.6 Other forms of the CG algorithm	74
2.7 Bounds for the norms of the error	77
3 A historical perspective on the Lanczos algorithm in finite precision	81
3.1 The tools of the trade	83
3.2 Numerical example	89
3.3 The work of Chris Paige	93
3.4 Illustration of the work of Chris Paige	102
3.5 The work of Joe Grcar	105
3.6 Illustration of the work of Joe Grcar	109
3.7 The work of Horst Simon	110
3.8 Illustration of the work of Horst Simon	118
3.9 The work of Anne Greenbaum and Zdenek Strakoš	121
3.10 The work of J. Cullum and R. Willoughby	130
3.11 The work of V. Druskin and L. Knizhnerman	130
3.12 Recent related results	136

4	The Lanczos algorithm in finite precision	139
4.1	Numerical examples	139
4.2	Solution of three-term recurrences	149
4.3	The Lanczos vectors in finite precision	152
4.4	Another solution to three-term recurrences	166
4.5	Bounds for the perturbation terms	174
4.6	Some more examples	176
4.7	Conclusions of this chapter	184
5	The CG algorithm in finite precision	187
5.1	Numerical examples	187
5.2	Relations between CG and Lanczos in finite precision	191
5.3	Study of the CG three-term recurrences	198
5.4	Study of the CG two-term recurrences	210
5.5	Relations between p^k and r^k	214
5.6	Local orthogonality in finite precision	215
5.7	CG convergence in finite precision	223
5.8	Numerical examples of convergence in variable precision	230
6	The maximum attainable accuracy	239
6.1	Difference of residuals	239
6.2	Numerical experiments for $Ax = 0$	241
6.3	Estimate of the maximum attainable accuracy	249
6.4	Some ways to improve the maximum attainable accuracy	252
7	Estimates of norms of the error in finite precision	257
7.1	Computation of estimates of the norms of the error in exact arithmetic	257
7.2	The A-norm of the error in finite precision	263
7.3	The l_2 norm of the error in finite precision	265
7.4	Numerical examples	268
7.5	Comparison of two-term and three-term CG	275
8	The preconditioned CG algorithm	281
8.1	PCG in exact arithmetic	281
8.2	Formulas for norms of the error	282
8.3	PCG in finite precision	284
8.4	Numerical examples of convergence	287
8.5	Numerical examples of estimation of norms	292
9	Miscellaneous	297
9.1	Choice of the starting vector	297
9.2	Variants of CG and multiple right-hand sides	298
9.2.1	Constrained CG	298
9.2.2	Block CG	299
9.2.3	Init, Augmented, and Deflated CG	300
9.2.4	Global CG	302

9.3	Residual smoothing	302
9.4	Inner-outer iterations and relaxation strategies	304
9.5	Numerical experiments with starting vectors	305
9.6	Shifted matrices	308
9.7	CG on indefinite systems	310
9.8	Examples with PCG	313
Appendix		323
A.1	A short biography of Cornelius Lanczos	323
A.2	A short biography of M.R. Hestenes and E. Stiefel	324
A.3	Examples in “exact” arithmetic	325
Bibliography		349
Index		363