

William Rucklidge

Efficient Visual Recognition Using the Hausdorff Distance



Springer

Series Editors

Gerhard Goos, Karlsruhe University, Germany

Juris Hartmanis, Cornell University NY, USA

Jan van Leeuwen, Utrecht University, The Netherlands

Author

William Rucklidge

Xerox Palo Alto Research Center

3333 Coyote Hill Road, Palo Alto, CA 94304, USA

E-mail: rucklidge@parc.xerox.com

Cataloging-in-Publication data applied for

Die Deutsche Bibliothek - CIP-Einheitsaufnahme

Rucklidge, William:

Efficient visual recognition using the Hausdorff distance /
William Rucklidge. - Berlin ; Heidelberg ; New York ;
Barcelona ; Budapest ; Hong Kong ; London ; Milan ; Paris ;
Santa Clara ; Singapore ; Tokyo : Springer, 1996

(Lecture notes in computer science ; Vol. 1173)

ISBN 3-540-61993-3

NE: GT

CR Subject Classification (1991): I.5, I.2.10, I.3.5

ISSN 0302-9743

ISBN 3-540-61993-3 Springer-Verlag Berlin Heidelberg New York

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, re-use of illustrations, recitation, broadcasting, reproduction on microfilms or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer-Verlag. Violations are liable for prosecution under the German Copyright Law.

© Springer-Verlag Berlin Heidelberg 1996

Printed in Germany

Typesetting: Camera-ready by author

SPIN 10549103 06/3142 - 5 4 3 2 1 0 Printed on acid-free paper

Table of Contents

1 Introduction	1
1.1 The Hausdorff Distance	4
1.1.1 Introduction to the Hausdorff Distance	4
1.1.2 Image Search Using the Hausdorff Distance	6
1.1.3 Handling Occlusion, Multiple Objects and Misdetection	7
1.1.4 Features and Correspondences	8
1.1.5 The Reverse Hausdorff Distance	11
1.1.6 Efficient Search	12
1.2 Previous Work	14
1.2.1 Interpretation Trees	14
1.2.2 Alignment	15
1.2.3 Hough Transforms	19
1.2.4 Geometric Hashing	20
1.2.5 Computational Geometry	21
1.2.6 Transformation Space Subdivision	23
1.2.7 Correlational Methods	23
1.2.8 Summary	26
2 The Hausdorff Distance	27
2.1 Definitions	27
2.2 The Minimum Hausdorff Distance under Transformation	28
2.3 Transformation Groups for Visual Recognition	33
2.3.1 Translation	34
2.3.2 Translation and Scale	35
2.3.3 Affine Transformation	36
2.4 The Partial Hausdorff Distance	37
2.4.1 Partial Distances Based on Ranking	37
2.5 The Box-Reverse Hausdorff Distance	40
2.6 Summary	42
3 Exact Computation	43
3.1 Summary of Methods	43
3.2 Lower Bounds	44
3.3 Point Sets under Translation	45
3.3.1 The L_1 and L_∞ Example	46
3.3.2 The L_2 Example	49
3.4 Sets of Points and Line Segments under Translation	52
3.5 Point Sets under Rigid Motion	54
3.6 Sets of Points and Line Segments under Rigid Motion	56
3.7 Point Sets under Translation and Scale	57
3.7.1 The L_2 Example	58

3.7.2	The L_1 Example	59
3.7.3	The L_∞ Example	59
3.8	Sets of Points and Line Segments under Translation and Scale	60
3.9	Point Sets under Affine Transformation	60
3.10	Sets of Points and Line Segments under Affine Transformation	61
3.11	Extension to the Partial Hausdorff Distance	61
3.12	Summary	62
4	Rasterisation	63
4.1	How To Rasterise	64
4.2	Computing the Minimum Hausdorff Distance	67
4.2.1	Bounding the Search	69
4.2.2	Locating Matches	70
4.3	The Distance Transform	70
4.4	Bounds on Rasterisation Error	73
4.5	Summary	75
5	Efficient Computation	77
5.1	Early Rejection	77
5.2	Ruling out Spheres	79
5.3	Skipping Forward	82
5.4	Cell Decomposition	84
5.5	Refinements of the Cell Decomposition Method	87
5.5.1	Variable Thresholds	87
5.5.2	Early Acceptance	88
5.5.3	The Box Distance Transform	90
5.5.4	Zoning	93
5.6	Directed Search Methods	93
5.6.1	Find Any Match	94
5.6.2	Find the Best Match	95
5.6.3	Incorporating the Reverse Criterion	96
5.7	Parallelising	97
5.8	Interactions and Combinations	98
5.9	Summary	100
6	Implementations and Examples	101
6.1	Translation	101
6.2	Translation and Scale	105
6.3	Affine	116
6.4	Summary	130
7	Applications	132
7.1	Tracking	132
7.1.1	Introduction	132
7.1.2	Tracking Using the Hausdorff Distance	134
7.1.3	An Implementation of the Tracker	137

7.1.4	Extensions to the Basic Method	139
7.1.5	Summary	144
7.2	Navigation	145
7.2.1	Introduction	145
7.2.2	Determining the Range to the Landmark.....	146
7.2.3	Centering the Landmark in the Image	149
7.2.4	Locating the Landmark in the Image	150
7.2.5	The Overall Navigation Method	151
7.2.6	Some Experimental Results	153
7.2.7	Summary	156
7.3	Other Applications	156
8	Conclusions	157
8.1	Future Work	158
8.1.1	Grouping	158
8.1.2	Gradient Descent	159
8.1.3	Analog	160
8.1.4	Multichannel	160
8.1.5	Further Reading	161
A	Computing Distance Transforms	163
A.1	Chamfer Methods	163
A.2	Exact Methods	165
A.3	z -Buffer Methods	168
A.4	Computing the Box Distance Transform $\Delta'[x, y]$	169
A.5	Summary	170
Bibliography	171	
Index	177	

List of Tables

1.1	Some lower bounds for the complexity of the Hausdorff distance.	12
3.1	Lower bounds for the complexity of the Hausdorff distance.	45
3.2	Time bounds for finding the exact minimum Hausdorff distance.	46
4.1	Bounds on error due to rasterisation and rounding.	76
6.1	Running times for locating the first scale test model.	110
6.2	Running times for locating the second scale test model.	114
6.3	The effects of the efficient search techniques on the scale tests.	115
6.4	The effects of the efficient search techniques on the affine tests.	131

List of Figures

1.1	An example of model-based recognition.	3
1.2	An example of the Hausdorff distance image search method.	5
1.3	Unstable linear feature detection.	9
1.4	The problem with correspondence and unstable point feature detection.	10
1.5	Large errors caused by pinning.	10
1.6	Using the reverse distance to reject incorrect poses.	12
2.1	An illustration of the Hausdorff distance.	29
2.2	The difference between H and H_G .	30
3.1	The sets A and A^ϵ for the L_∞ lower bound for point sets under translation.	47
3.2	The sets A^ϵ and B for the L_∞ lower bound for point sets under translation.	47
3.3	Part of $S(A, \epsilon, B)$ for the L_∞ lower bound for point sets under translation.	48
3.4	The sets A and A^ϵ for the L_2 lower bound for point sets under translation.	50
3.5	The sets A^ϵ and B for the L_2 lower bound for point sets under translation.	51
3.6	A closeup of the interesting region of the gap.	51
3.7	Part of $S(A, \epsilon, B)$ for the L_2 lower bound for point sets under translation.	53
3.8	The sets A , A^ϵ and B for points and segments under translation.	53
3.9	The interaction between A_2^ϵ and B_2 .	55
3.10	The minimum depth of the points of B_2 .	56
3.11	The sets A , A^ϵ and B for points and segments under rigid motion.	57
4.1	The distance transform, or Voronoi surface, of a point set.	71
4.2	The point set I generating Fig. 4.1.	72
5.1	An example of early termination.	78
5.2	An example of ruling out a circle.	81
5.3	A possible scanning order to improve the performance of ruling out circles.	82
5.4	An array and its $+x$ distance transform.	83
5.5	The cell subdivision process.	86
5.6	An illustration of the box projection property.	91
6.1	Using borders to restrict the search range.	102
6.2	The first translation test image.	103
6.3	The first translation object model.	104
6.4	The first test image overlaid with the best match.	104
6.5	The second translation test image.	104
6.6	The second translation object model.	105
6.7	The second translation test image overlaid with the best match.	105
6.8	The third translation test image.	106
6.9	The third translation object model.	106
6.10	The third translation test image overlaid with the best match.	107
6.11	Incorrect matches (and one correct match) from binary correlation.	107
6.12	The first scale test model.	109

6.13	The first scale test example, part one.	110
6.14	The first scale test example, part two.	111
6.15	The first scale test example, part three.	112
6.16	Incorrect matching due to not using the reverse distance.	113
6.17	The second scale test model.	113
6.18	The second scale test example, part one.	115
6.19	The second scale test example, part two.	116
6.20	The model for the first affine example.	118
6.21	The first affine example, part one.	119
6.22	The first affine example, part two.	120
6.23	The second affine test.	121
6.24	The third affine test model.	123
6.25	The third affine test, part one.	124
6.26	The third affine test, part two.	125
6.27	The third affine test, part three.	126
6.28	The fourth affine test.	127
6.29	The rigid motion test model.	128
6.30	The rigid motion test image.	129
6.31	The rigid motion test results.	130
7.1	Six frames from a motion sequence and the corresponding models of the object being tracked.	135
7.2	Using the forward distance to locate a model in an image.	136
7.3	Six frames from a motion sequence and the corresponding models of the object being tracked.	141
7.4	Six frames from a motion sequence and the corresponding models of the two objects being tracked.	143
7.5	The Cornell mobile robot TOMMY.	147
7.6	Determining the range to the landmark.	148
7.7	Computing focal length.	149
7.8	An example of the navigation method, part one.	154
7.9	An example of the navigation method, part two.	155
8.1	Exploiting grouping.	158
A.1	An image and its vertical distance transform.	166
A.2	An example of processing an interval.	167