

# Contents

|  |             |
|--|-------------|
| <b>Foreword</b>  | <b>ix</b>   |
| <b>Notation</b>  | <b>xi</b>   |
| <b>Introduction</b>  | <b>xiii</b> |
| <b>1 Examples in low degree</b>  | <b>1</b>    |
| 1.1 The groups $\mathbf{Z}/2\mathbf{Z}$ , $\mathbf{Z}/3\mathbf{Z}$ , and $S_3$ . . . . . | 1           |
| 1.2 The group $C_4$ . . . . .  | 2           |
| 1.3 Application of tori to abelian Galois groups of exponent 2, 3, 4, 6 . . . . .        | 6           |
| <b>2 Nilpotent and solvable groups as Galois groups over <math>\mathbf{Q}</math></b>     | <b>9</b>    |
| 2.1 A theorem of Scholz-Reichardt . . . . .  | 9           |
| 2.2 The Frattini subgroup of a finite group . . . . .                                    | 16          |
| <b>3 Hilbert's irreducibility theorem</b>  | <b>19</b>   |
| 3.1 The Hilbert property . . . . .   | 19          |
| 3.2 Properties of thin sets . . . . .  | 21          |
| 3.2.1 Extension of scalars . . . . .   | 21          |
| 3.2.2 Intersections with linear subvarieties . . . . .                                   | 22          |
| 3.3 Irreducibility theorem and thin sets . . . . .                                       | 23          |
| 3.4 Hilbert's irreducibility theorem . . . . .   | 25          |
| 3.5 Hilbert property and weak approximation . . . . .                                    | 27          |
| 3.6 Proofs of prop. 3.5.1 and 3.5.2 . . . . .  | 30          |
| <b>4 Galois extensions of <math>\mathbf{Q}(T)</math>: first examples</b>                 | <b>35</b>   |
| 4.1 The property $\text{Gal}_T$ . . . . .  | 35          |
| 4.2 Abelian groups . . . . .   | 36          |
| 4.3 Example: the quaternion group $Q_8$ . . . . .  | 38          |
| 4.4 Symmetric groups . . . . .   | 39          |
| 4.5 The alternating group $A_n$ . . . . .  | 43          |
| 4.6 Finding good specializations of $T$ . . . . .  | 44          |

|   |           |
|---|-----------|
| <b>5 Galois extensions of <math>Q(T)</math> given by torsion on elliptic curves</b>     | <b>47</b> |
| 5.1 Statement of Shih's theorem . . . . .   | 47        |
| 5.2 An auxiliary construction . . . . .   | 48        |
| 5.3 Proof of Shih's theorem . . . . .   | 49        |
| 5.4 A complement . . . . .  | 52        |
| 5.5 Further results on $PSL_2(F_q)$ and $SL_2(F_q)$ as Galois groups . . . . .          | 53        |
| <b>6 Galois extensions of <math>C(T)</math></b>   | <b>55</b> |
| 6.1 The GAGA principle . . . . .  | 55        |
| 6.2 Coverings of Riemann surfaces . . . . .   | 57        |
| 6.3 From $C$ to $\bar{Q}$ . . . . .   | 57        |
| 6.4 Appendix: universal ramified coverings of Riemann surfaces with signature . . . . . | 60        |
| <b>7 Rigidity and rationality on finite groups</b>                                      | <b>65</b> |
| 7.1 Rationality . . . . .   | 65        |
| 7.2 Counting solutions of equations in finite groups . . . . .                          | 67        |
| 7.3 Rigidity of a family of conjugacy classes . . . . .                                 | 70        |
| 7.4 Examples of rigidity . . . . .  | 72        |
| 7.4.1 The symmetric group $S_n$ . . . . .   | 72        |
| 7.4.2 The alternating group $A_5$ . . . . .   | 73        |
| 7.4.3 The groups $PSL_2(F_p)$ . . . . .   | 74        |
| 7.4.4 The group $SL_2(F_8)$ . . . . .   | 75        |
| 7.4.5 The Janko group $J_1$ . . . . .   | 77        |
| 7.4.6 The Hall-Janko group $J_2$ . . . . .  | 78        |
| 7.4.7 The Fischer-Griess Monster $M$ . . . . .  | 78        |
| <b>8 Construction of Galois extensions of <math>Q(T)</math> by the rigidity method</b>  | <b>81</b> |
| 8.1 The main theorem . . . . .  | 81        |
| 8.2 Two variants . . . . .  | 83        |
| 8.2.1 First variant . . . . .   | 83        |
| 8.2.2 Second variant . . . . .  | 84        |
| 8.3 Examples . . . . .  | 85        |
| 8.3.1 The symmetric group $S_n$ . . . . .   | 85        |
| 8.3.2 The alternating group $A_5$ . . . . .   | 86        |
| 8.3.3 The group $PSL_2(F_p)$ . . . . .  | 87        |
| 8.3.4 The $G_{alt}$ property for the smallest simple groups . . . . .                   | 88        |
| 8.4 Local properties . . . . .  | 88        |
| 8.4.1 Preliminaries . . . . .   | 88        |
| 8.4.2 A problem on good reduction . . . . .   | 89        |
| 8.4.3 The real case . . . . .   | 90        |
| 8.4.4 The $p$ -adic case: a theorem of Harbater . . . . .                               | 93        |

|   |            |
|---|------------|
| <b>9 The form <math>\text{Tr}(x^2)</math> and its applications</b>      | <b>95</b>  |
| 9.1 Preliminaries . . . . .   | 95         |
| 9.1.1 Galois cohomology (mod 2) . . . . .                               | 95         |
| 9.1.2 Quadratic forms . . . . .   | 95         |
| 9.1.3 Cohomology of $S_n$ . . . . .                                     | 97         |
| 9.2 The quadratic form $\text{Tr}(x^2)$ . . . . .                       | 98         |
| 9.3 Application to extensions with Galois group $\tilde{A}_n$ . . . . . | 99         |
| <b>10 Appendix: the large sieve inequality</b>                          | <b>103</b> |
| 10.1 Statement of the theorem . . . . .                                 | 103        |
| 10.2 A lemma on finite groups . . . . .                                 | 105        |
| 10.3 The Davenport-Halberstam theorem . . . . .                         | 105        |
| 10.4 Combining the information . . . . .                                | 107        |
| <b>Bibliography</b>   | <b>109</b> |
| <b>Index</b>  | <b>117</b> |