Published by E & FN Spon.

First edition 1997 Reprinted 1997

Reprinted 2002 by Spon Press

Spon Press is an imprint of The Taylor & Francis Group

© 1997 William Powrie

Typeset in India by Thomson Press (India) Ltd Printed in Great Britain by Alden Press, Osney Mead, Oxford

ISBN 0 419 19720 6

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the UK Copyright Designs and Patents Act, 1988, this publication may not be reproduced, stored, or transmitted, in any form or by any means, without the prior permission in writing of the publishers, or in the case of reprographic reproduction only in accordance with the terms of the licences issued by the Copyright Licensing Agency in the UK, or in accordance with the terms of licences issued by the appropriate Reproduction Rights Organization outside the UK. Enquiries concerning reproduction outside the terms stated here should be sent to the publishers at the London address printed on this page.

The publisher makes no representation, express or implied, with regard to the accuracy of the information contained in this book and cannot accept any legal responsibility for any errors or omissions that may be made.

A catalogue record for this book is available from the British Library

Library of Congress Catalog Card Number: 96-70577



Contents

	Preface	xi		2.2.5 Mohr's circle of stress	4
	General symbols	xiii		2.2.6 Mohr's circle of strain	5
			2.3	Soil strength	5
1	Origins and classification of soils		2.4	Friction	5
	Introduction: what is soil mechanics?		2.5	The shearbox or direct shear apparatus	5
1.2	2 The structure of the Earth		2.6	Presentation of shearbox test data in	,
1.3	The origin of soils	3		engineering units	5
	1.3.1 Transport processes and deposi-		2.7	Volume changes during shear	5
	tional environments	5	2.8	Critical states	5
1.4	Soil mineralogy	7	2.9	Peak strengths and dilatancy	5
	1.4.1 Composition of soils	7	2.10		6
	1.4.2 The clay minerals	8	2.11		
	1.4.3 Non-clay minerals	10	2.11		6
	1.4.4 Surface forces	10	2.12		6
	1.4.5 Organic (non-mineral) soils	11		2.12.1 Conventional interpretation	68
1.5	Phase relationships for soils			2.12.2 Alternative interpretation	6
1.6	Unit weight	11	0.10	2.12.3 Undrained tests on clays	70
1.0	1.6.1 Measuring the grain specific	13	2.13	The simple shear apparatus	7
		1.5		Key points	70
1.7	gravity G_s Effective stress	15		Questions	7
		17		References	79
	1.7.1 Calculating vertical stresses in the				
1.8	ground	17	3	Groundwater, permeability and	
1.8	Particle size distributions	19		seepage	81
	Soil filters	24	3.1	Introduction and objectives	81
1.10	Soil description	27	3.2	Pore water pressures in the ground	82
1.11	Index tests and classification of clay soils	29		3.2.1 Artesian conditions and	
1.12	Compaction	30		underdrainage	82
.13	Houses built on clay	35		3.2.2 Effect of construction activities	83
.14	Site investigation	38		3.2.3 Pore water pressures above the	
	Key points	42		water table	84
	Questions		3.3		85
	References			Laboratory measurement of permeability	87
		44		3.4.1 The constant head permeameter	87
-	0.44			3.4.2 The falling head permeameter	89
2	Soil strength	46	3.5	Field measurement of permeability	91
2.1	and objectives		3.3	3.5.1 Well pumping test in an ideal	91
2.2	Stress analysis	47		confined aquifer	91
	2.2.1 General three-dimensional states				91
	of stress	47		3.5.2 Well pumping test in an ideal	00
	2.2.2 Principal stresses	47	3.6	unconfined aquifer	92
	2.2.3 Plane strain	47		or initiative bolls	93
	2.2.4 Axisymmetry	48	3.7	Mathematics of groundwater flow	95
			3.8	Plane flow	96

Contents

2.0	Confine	d flownets	96	4.10	Limitat	ions of the simple models for the	
3.9	Colonia	ion of pore water pressures using			behavio	our of soils in one-dimensional	
3.10			103		compre	SSIOII allu collisoliuutioii	158
	flownets		104		4.10.1	Model for one-dimensional	
3.11	Quicksa	1 d etc	105			compression and swelling:	
3.12	Unconn	ned flownets	107			specific volume against $\ln \sigma_{\rm v}'$	158
	Distanc	e of influence	107		4.10.2	One-dimensional consolidation	
3.14	Soils wi	th anisotropic permeability	109		2120	solutions	159
3.15	Zones o	f different permeability	110		4.10.3	Horizontal stresses in one-	
3.16	Bounda	ry conditions for flow into drains	110		A1 51 5	dimensional compression	
3.17	Applica	tion of well pumping formulae to	112			and swelling	159
	constru	ction dewatering	113		Key po		160
3.18	Numeri	cal methods	116		Questi		161
3.19		nd pumping methods	116		Referen		164
		Wellpoints	116		1101010		
		Deep wells	117				
		Ejectors	118	5	The tr	iaxial test and soil behaviour	165
		Well design	118	5.1	Object	rives	165
	Key po		119	5.2	The tr	iaxial test	166
	Questic		122		5.2.1	Apparatus	166
	Referer	nces	122		5.2.2	Procedures	166
				5.3	Stress	parameters	168
- 4	0 1	imensional compression and			5.3.1	Stress invariants	168
4	One-a	idation	124		5.3.2	Notation	169
4.1		action and objectives	124	5.4	Stress	analysis of the triaxial test	169
4.1	Introdi	mensional compression:			5.4.1	Assumptions	169
4.2			125		5.4.2	Measured quantities	170
4.0		lometer test imensional consolidation	132		5.4.3	Converting measurements to	
4.3	One-di	mensional consolidation	133			stress, strain and state parameters	170
4.4	Proper	ties of isochrones imensional consolidation: solution			5.4.4	Mohr circles of stress	171
4.5	One-di	mensional consolidation, solution	134		5.4.5	Mohr circles of strain	171
	using p	parabolic isochrones			5.4.6	Other ways of presenting shear	
4.6	Deterr	mining the consolidation coefficier	136			test data	172
4 -	$c_{\rm v}$ from	oedometer test data		5.5	Isotro	pic compression and swelling	174
4.7	4.7 Application of consolidation testing and theory to field problems		138	5.6	Samp	le preparation by one-dimensional	
	tneory	Consolidation due to an increase			comp	ression and swelling:	
	4.7.1	effective stress following ground-			K_0 co	nsolidation	174
		water lowering	138	5.7	Cond	itions imposed in shear tests	175
	470	Underdrainage of a compressible		5.8	Critic	cal states	176
	4.7.2		141		5.8.1	Relation between M and ϕ'_{crit}	177
	172	layer Case study 4.2: vertical compres-		5.9	Yield		177
	4.7.3	sion due to plane horizontal flow	146	5.10	State	paths during shear: normally	
	4 7 4	Self weight consolidation:			consc	olidated and lightly overconsolidated	1
	4.7.4	hydraulic fill	149		clays		181
4 (0	limensional consolidation: exact	_		5.10.		181
4.8			151		5.10.	2 Undrained tests	182
	solution	Derivation of differential equation		5.1	1 Peak	strengths	189
	4.0.1	governing one dimensional			5.11.	1 Predictions using Cam clay	189
		consolidation	151		5.11.	2 Hvorslev rupture and tensile	
	100					fracture	190
	4.8.2	tion equation	152			.3 Interpreting peak strength data	191
	102			5.1		rained shear strengths	195
	4.8.3	conditions using Fourier series	152	5.1		dual strength	197
4.	0 Podio	d drainage	157	5.1	4 Sens	itive soils	198
4.	7 Naula	ii drailiage					

5.15	Correlation of critical state parameters			bound) solutions for a propped embedded	
	with index tests	199		8	243
5.16	Creep	200		/ Illax	243
5.17	Anisotropy	201		7.6.2 $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion	247
5.18	Partly saturated soils	202	7.7	Mechanism-based (upper bound)	
5.19	The critical state model applied to sands	203		solutions for gravity retaining walls	250
5.20	New models	203		7.7.1 Short-term case: $\tau_{\text{max}} = \tau_{\text{u}}$ failure	
	Key points	205			253
	Questions	206		7.7.2 Long-term case: $(\tau/\sigma')_{\text{max}} = \tan \phi'$	
	References	208			261
			7.8	Limit equilibrium stress distributions for	
6	Calculation of soil settlements using			embedded retaining walls	269
	elasticity methods	211			269
6.1	Introduction	211		7.8.2 Unpropped embedded walls:	
6.2	Selection of elastic parameters	212			269
	6.2.1 Approximations and shortcomings			7.8.3 Embedded walls propped at the	
	of a simple elastic model	212		crest: free and fixed earth support	
	6.2.2 Relationships between elastic				270
	constants	214	7.9		271
	6.2.3 Determining elastic moduli from			Earth pressure coefficients taking account	
	triaxial compression test data	214	1.10		272
6.3	Boussinesq's solution	215			272
6.4	Estimation of increases in vertical				274
	stress at any depth due to any pattern				275
	of surface load, using Newmark's chart	216		3 1	276
6.5	Estimation of settlements due to surface				279
	loads and foundations	219		References	
6.6	Influence factors for stresses	223			
6.7	Standard solutions for surface		8	Foundations and slopes	281
	settlements on an isotropic, homogeneous	,	8.1	Introduction and objectives	281
	elastic half-space	227	8.2	Shallow strip foundations (footings):	
	Estimation of immediate settlements	227		simple lower bounds	281
6.8		228		8.2.1 Effective stress analysis:	
6.8 6.9	Effect of heterogeneity			(/ /) = / 6-11	282
6.9	Effect of heterogeneity Cross-coupling of shear and volumetric	220		$(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion	202
	Cross-coupling of shear and volumetric			$(\tau/\sigma)_{\text{max}} = \tan \phi$ failure criterion 2.8.2.2 Short-term, total stress analysis:	202
6.9	Cross-coupling of shear and volumetric effects due to anisotropy	228		8.2.2 Short-term, total stress analysis:	282
6.9	Cross-coupling of shear and volumetric effects due to anisotropy Key points	228 229	8.3	8.2.2 Short-term, total stress analysis:	
6.9	Cross-coupling of shear and volumetric effects due to anisotropy Key points Questions	228 229 230	8.3	8.2.2 Short-term, total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion Simple upper bound solutions for	
6.9	Cross-coupling of shear and volumetric effects due to anisotropy Key points	228 229	8.3	8.2.2 Short-term, total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion Simple upper bound solutions for	282
6.9	Cross-coupling of shear and volumetric effects due to anisotropy Key points Questions	228 229 230	8.3	8.2.2 Short-term, total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion Simple upper bound solutions for shallow strip footings 28.3.1 Short-term total stress analysis:	282
6.9	Cross-coupling of shear and volumetric effects due to anisotropy Key points Questions References	228 229 230	8.3	8.2.2 Short-term, total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion Simple upper bound solutions for shallow strip footings 28.3.1 Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2	282 283
6.9 6.10	Cross-coupling of shear and volumetric effects due to anisotropy Key points Questions References The application of plasticity and	228 229 230	8.3	8.2.2 Short-term, total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2. Simple upper bound solutions for shallow strip footings 2. Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2. 8.3.2 Effective stress analysis:	282 283
6.9 6.10	Cross-coupling of shear and volumetric effects due to anisotropy Key points Questions References	228 229 230	8.3	8.2.2 Short-term, total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 Simple upper bound solutions for shallow strip footings 2 8.3.1 Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 8.3.2 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion 2	282 283 283
6.9 6.10	Cross-coupling of shear and volumetric effects due to anisotropy Key points Questions References The application of plasticity and limit equilibrium methods to	228 229 230 232		8.2.2 Short-term, total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 Simple upper bound solutions for shallow strip footings 2 8.3.1 Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 8.3.2 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion 2 Bearing capacity enhancement factors	282 283 283
6.9 6.10	Cross-coupling of shear and volumetric effects due to anisotropy Key points Questions References The application of plasticity and limit equilibrium methods to retaining walls	228 229 230 232		8.2.2 Short-term, total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 Simple upper bound solutions for shallow strip footings 2.3.1 Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2.8.3.2 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion Bearing capacity enhancement factors to account for foundation shape and	282 283 283 284
6.9 6.10 7 7.1	Cross-coupling of shear and volumetric effects due to anisotropy Key points Questions References The application of plasticity and limit equilibrium methods to retaining walls Engineering plasticity	228 229 230 232		8.2.2 Short-term, total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 Simple upper bound solutions for shallow strip footings 2 8.3.1 Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 8.3.2 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion Bearing capacity enhancement factors to account for foundation shape and depth and soil weight 4	282 283 283
6.9 6.10 7 7.1	Cross-coupling of shear and volumetric effects due to anisotropy Key points Questions References The application of plasticity and limit equilibrium methods to retaining walls Engineering plasticity Upper and lower bounds (safe and unsafe	228 229 230 232 233 233		8.2.2 Short-term, total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 Simple upper bound solutions for shallow strip footings 2 8.3.1 Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 8.3.2 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion Bearing capacity enhancement factors to account for foundation shape and depth and soil weight 8.4.1 Effective stress analysis:	282 283 283 284
6.9 6.10 7 7.1 7.2	Cross-coupling of shear and volumetric effects due to anisotropy Key points Questions References The application of plasticity and limit equilibrium methods to retaining walls Engineering plasticity Upper and lower bounds (safe and unsafe solutions) Failure criteria for soils	228 229 230 232 233 233 234		8.2.2 Short-term, total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 Simple upper bound solutions for shallow strip footings 2 8.3.1 Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 8.3.2 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion Bearing capacity enhancement factors to account for foundation shape and depth and soil weight 4 8.4.1 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion 2	282 283 283 284 286
6.9 6.10 7 7.1 7.2	Cross-coupling of shear and volumetric effects due to anisotropy Key points Questions References The application of plasticity and limit equilibrium methods to retaining walls Engineering plasticity Upper and lower bounds (safe and unsafe solutions) Failure criteria for soils 7.3.1 $(\tau/\sigma')_{max} = \tan \phi'$ failure criterion	228 229 230 232 233 233 234 235		8.2.2 Short-term, total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 Simple upper bound solutions for shallow strip footings 2.3.1 Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2.5.3.2 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion 3.3.6 Bearing capacity enhancement factors to account for foundation shape and depth and soil weight 4.4.1 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion 3.4.2 Short-term total stress analysis:	282 283 283 284 286
6.9 6.10 7 7.1 7.2	Cross-coupling of shear and volumetric effects due to anisotropy Key points Questions References The application of plasticity and limit equilibrium methods to retaining walls Engineering plasticity Upper and lower bounds (safe and unsafe solutions) Failure criteria for soils 7.3.1 $(\tau/\sigma')_{max} = \tan \phi'$ failure criterion 7.3.2 ϕ'_{crit} or ϕ'_{peak} ?	228 229 230 232 233 233 234 235 235 236	8.4	8.2.2 Short-term, total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 Simple upper bound solutions for shallow strip footings 2 8.3.1 Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 8.3.2 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion 3 Bearing capacity enhancement factors to account for foundation shape and depth and soil weight 3 8.4.1 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion 3 8.4.2 Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2	282 283 283 284 286
6.9 6.10 7 7.1 7.2	Cross-coupling of shear and volumetric effects due to anisotropy Key points Questions References The application of plasticity and limit equilibrium methods to retaining walls Engineering plasticity Upper and lower bounds (safe and unsafe solutions) Failure criteria for soils 7.3.1 $(\tau/\sigma')_{max} = \tan \phi'$ failure criterion	228 229 230 232 233 233 234 235 235		8.2.2 Short-term, total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 Simple upper bound solutions for shallow strip footings 2 8.3.1 Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 8.3.2 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion 3 Bearing capacity enhancement factors to account for foundation shape and depth and soil weight 3 8.4.1 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion 3 8.4.2 Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 Simple piled foundations: ultimate	282 283 283 284 286 286 286
6.9 6.10 7 7.1 7.2 7.3	Cross-coupling of shear and volumetric effects due to anisotropy Key points Questions References The application of plasticity and limit equilibrium methods to retaining walls Engineering plasticity Upper and lower bounds (safe and unsafe solutions) Failure criteria for soils 7.3.1 $(\tau/\sigma')_{max} = \tan \phi'$ failure criterion 7.3.2 ϕ'_{crit} or ϕ'_{peak} ? 7.3.3 $\tau_{max} = \tau_u$ failure criterion Retaining walls	228 229 230 232 233 233 234 235 235 236 236	8.4	8.2.2 Short-term, total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 Simple upper bound solutions for shallow strip footings 2 8.3.1 Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 2 8.3.2 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion 3 Bearing capacity enhancement factors to account for foundation shape and depth and soil weight 3 8.4.1 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion 3 8.4.2 Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 3 Simple piled foundations: ultimate axial loads of single piles 3	282 283 283 284 286 286 287
6.9 6.10 7 7.1 7.2 7.3	Cross-coupling of shear and volumetric effects due to anisotropy Key points Questions References The application of plasticity and limit equilibrium methods to retaining walls Engineering plasticity Upper and lower bounds (safe and unsafe solutions) Failure criteria for soils 7.3.1 $(\tau/\sigma')_{max} = \tan \phi'$ failure criterion 7.3.2 ϕ'_{crit} or ϕ'_{peak} ? 7.3.3 $\tau_{max} = \tau_u$ failure criterion	228 229 230 232 233 233 234 235 235 236 236	8.4 8.5 8.6	8.2.2 Short-term, total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion Simple upper bound solutions for shallow strip footings 8.3.1 Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 8.3.2 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion Bearing capacity enhancement factors to account for foundation shape and depth and soil weight 8.4.1 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion 8.4.2 Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion Simple piled foundations: ultimate axial loads of single piles ϕ'_{crit} or ϕ'_{peak} ?	282 283 283 284 286 286 287 287 287
6.9 6.10 7 7.1 7.2 7.3	Cross-coupling of shear and volumetric effects due to anisotropy Key points Questions References The application of plasticity and limit equilibrium methods to retaining walls Engineering plasticity Upper and lower bounds (safe and unsafe solutions) Failure criteria for soils 7.3.1 $(\tau/\sigma')_{max} = \tan \phi'$ failure criterion 7.3.2 ϕ'_{crit} or ϕ'_{peak} ? 7.3.3 $\tau_{max} = \tau_u$ failure criterion Retaining walls Calculation of limiting lateral earth	228 229 230 232 233 233 234 235 235 236 236 237	8.4	8.2.2 Short-term, total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion Simple upper bound solutions for shallow strip footings 8.3.1 Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion 8.3.2 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion Bearing capacity enhancement factors to account for foundation shape and depth and soil weight 8.4.1 Effective stress analysis: $(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion 8.4.2 Short-term total stress analysis: $\tau_{\text{max}} = \tau_{\text{u}}$ failure criterion Simple piled foundations: ultimate axial loads of single piles ϕ'_{crit} or ϕ'_{peak} ? Pile groups	282 283 283 284 286 286 287

Contents

	8.8.1	Effective stress analysis:			Key pe	ointe	220
		$(\tau/\sigma')_{\text{max}} = \tan \phi'$ failure criterion	295		Questi		338
	8.8.2	Total stress analysis: $\tau_{\text{max}} =$	275		Refere		339
		$ au_{ m u}$ failure criterion	296		Refere	nce	340
8.9	Introd	uctory slope stability: the infinite	290				
	slope	j i i i i i i i i i i i i i i i i i i i	297	10	Partic	ular types of earth retaining	
8.10		sis of a more general slope	300		system		341
	8.10.1	Total stress analysis for the un-	300	10.1	Introd	uction and objectives	341
		drained stability of slopes in clay	s 300	10.2		lded retaining walls under	511
	8.10.2	Effective stress analysis of a	0 000			g conditions	341
		general slope with a circular		10.3		ation of design bending moments	3
		slip surface	302		and pr	op loads	344
	8.10.3	Non-circular slips	304	10.4	Embed	lded walls retaining clay soils	345
	Key po		307		10.4.1		
	Questi		308			drained conditions apply	345
	Refere	nces	310		10.4.2	Effect of high in situ	
						lateral stresses	346
9	Coloui	lation of hooding		10.5	Geostr	uctural mechanism to estimate	
	factor	lation of bearing capacity s and earth pressure				ovement under working	
	coeffic	cients for more difficult			conditi		353
		using plasticity methods	312	10.6	Effect	of relative soil: wall stiffness	356
9.1	Introdu	action and objectives	312			Model tests on walls in dry sand	
9.2	Stress	discontinuities: ϕ' analysis	313		10.6.2	J == = == === === == == = = = = = = = =	357
9.3	Stress	discontinuities: $\tau_{\rm u}$ analysis	314		10.6.3		
9.4		ation to stress analysis	315	10.7	C	approach	359
		General approach	315	10.7	- F	ction stresses behind backfilled	
		Visualization of stress fields using	313		walls	F	362
		characteristic directions	316		10.7.1	Free-draining soils	362
9.5	Shallov	v foundations	317	10.8	10.7.2 Strip lo	5	366
	9.5.1	Calculation of improved bearing		10.8		ropped embedded walls	366
	10	capacity factor for a shallow found	_		Reinfor	ced soil walls	367
		ation subjected to a vertical load:			Tunnels		367
		effective stress (ϕ') analysis	317	10.11	10.11.1		369
	9.5.2	Calculation of improved bearing				circular cross-section	371
		capacity factor for a shallow found	-		10.11.2		311
	:	ation subjected to a vertical load:				short-term total stress analysis	372
0.6	1	total stress (τ_u) analysis	318		10.11.3	Collapse of tunnels: effective	314
9.6	Calcula	tion of earth pressure coefficients				stress analysis	372
	ior roug	th retaining walls	324		10.11.4		373
	9.6.1	Wall friction: effective stress (ϕ')			10.11.5	1	515
		analysis	324			tunnelling	374
		Wall adhesion: total stress (τ_u)			Key poin	nts	375
9.7	Sloping	analysis	327		Question		375
2.1		Effective stress (ϕ') analysis	329		Referen	ces	378
	072	Fotal stress ($\tau_{\rm u}$) analysis	329				
9.8	A wall u	with a sloping (battored) hash	329	11	Modelli	ng, in situ testing and ground	
7.0	0 8 1 I	with a sloping (battered) back Effective stress (ϕ') analysis	330		improv	ement	380
	982 7	Fotal stress (τ_u) analysis	331			ction and objectives	380
9.9	Improve	ed upper bounds for shallow	331		Modellii		380
	foundati		224		11.2.1	Numerical modelling	381
		Total stress $(\tau_{\rm u})$ analysis	334			Physical modelling: geotechnical	
	9.9.2 F	Effective stress (t_u) analysis	334 337			centrifuge testing	385
		ψ / analysis	101	11.3	In situ te	sting	389

1.4	11.3.2 11.3.3 11.3.4 11.3.5	The Standard Penetration Test The cone penetrometer test Pressuremeter tests The vane shear test The plate bearing test improvement techniques	389 392 394 401 402 403	11.4.7 11.4.8		408 408 409 410 410 411
	11.4.3	Electro-osmosis Ground freezing Grouting Preloading	405 406 407	Referen	ces	412 415
	11.4.5		407			

Contents