

# **Simple Models of Complex Nuclei**

*The Shell Model and  
Interacting Boson Model*

**Igal Talmi**

Weizmann Institute of Science  
Rehovot, Israel



harwood academic publishers

Switzerland Australia Belgium France Germany

Great Britain India Japan Malaysia Netherlands

Russia Singapore USA

Copyright © 1993 by Harwood Academic Publishers GmbH,  
Poststrasse 22, 7000 Chur, Switzerland. All rights reserved.

Harwood Academic Publishers

Private Bag 8  
Camberwell, Victoria 3124  
Australia

58, rue Lhomond  
75005 Paris  
France

Glinkastrasse 13-15  
O-1086 Berlin  
Germany

Post Office Box 90  
Reading, Berkshire RG1 8JL  
Great Britain

3-14-9, Okubo  
Shinjuku-ku, Tokyo 169  
Japan

Emmaplein 5  
1075 AW Amsterdam  
Netherlands

820 Town Center Drive  
Langhorne, Pennsylvania 19047  
United States of America

**Library of Congress Cataloging-in-Publication Data**

Talmi, Igal, 1925-

Simple models of complex nuclei : the shell model and interacting  
boson model / Igal Talmi.

p. cm.—(Contemporary concepts in physics; v. 7)

Includes bibliographical references and index.

ISBN 3-7186-0551-1.—ISBN 3-7186-0550-3 (pbk.)

1. Nuclear shell model. 2. Interacting boson models. 3. Atomic  
structure. I. Title. II. Series.

QC173.T26 1993

539.7'43—dc20

92-12901

CIP

No part of this book may be reproduced or utilized in any form or by any  
means, electronic or mechanical, including photocopying and recording, or by  
any information storage or retrieval system, without permission in writing from  
the publisher. Printed in the United States of America.

# Contents

---

**Preface to the Series** xvii

**Preface** xix

**1. Introduction. Effective Interactions** 1

Nuclear constituents. The shell model. Order of single nucleon levels and magic numbers. Single nucleon and single hole states. Use of effective interactions determined from experiment. The  $^{38}\text{Cl}$  and  $^{40}\text{K}$  case. Limitations of the approach. Plan of the book.

**2. Historical Survey** 21

Early attempts in the 1930s. The Elsassner papers. The summary of Bethe and Bacher. The criticism by Niels Bohr. Emergence of magic numbers in heavy nuclei. The Feenberg-Hammack and Nordheim schemes. Single nucleon magnetic moments and nuclear structure. Introduction of spin-orbit interaction by M. G. Mayer and by Jensen et al. establishing the *jj*-coupling shell model.

- 3. Single Particle in a Central Potential Well** 33  
 Non-relativistic Schrödinger equation and its solutions. Spherical harmonics. Spin-orbit interaction and wave functions for  $j = l \pm \frac{1}{2}$ . Single nucleon magnetic moments.
- 4. Harmonic Oscillator Potential** 45  
 Harmonic oscillator Hamiltonian and eigenfunctions. Virial theorem and average of  $r^2$ . Many particle wave functions, center-of-mass motion and translational invariance. Spurious states. Particles interacting by a two-body harmonic potential.
- 5. Transformation under Rotations** 55  
 Physical tensor fields and their transformation properties. Active interpretation of rotations of scalar fields and orbital angular momentum. Irreducible tensorial sets. Two component spinors and transformation laws. Intrinsic spin.
- 6. Infinitesimal Rotations and Angular Momentum** 71  
 Infinitesimal rotations and generators. Spinor fields, intrinsic spin and total angular momentum. Transformations of irreducible tensor operators under rotations. Finite rotations, an example. Lie algebras, the  $O(3)$  and the  $SU(2)$  groups.
- 7. Coupling of Angular Momenta.  $3j$ -Symbols** 91  
 Reduction of the external product of two irreducible tensorial sets. Clebsch-Gordan coefficients and their properties. Reduction formulae. Wigner's  $3j$ -symbols and their orthogonality and symmetry properties. Reduction of products of two spherical harmonics.
- 8. The Wigner-Eckart Theorem** 107  
 Matrix elements of irreducible tensor operators. The Wigner-Eckart theorem. Reduced matrix elements. Hermitian tensors. Magnetic moments of a combined system (Lande formula). Transition rates.
- 9. Two Nucleon Wave Functions.  $9j$ -Symbols** 121  
 Symmetric and antisymmetric wave functions. Isospin. Matrix elements of allowed  $\beta$ -decays.  $jj$ -coupling and  $LS$ -coupling and the transformation between them. Change of coupling transformations

and  $9j$ -symbols. Properties of  $9j$ -symbols. Relations with  $3j$ -symbols. Tensor products and their matrix elements.

**10. Matrix Elements of Two Nucleon Interactions.  $6j$ -Symbols** 145

The Slater expansion. Direct and exchange terms. Matrix elements of scalar products and  $6j$ -symbols. Properties of  $6j$ -symbols and relations with  $9j$ -symbols and  $3j$ -symbols. Expansion of direct and exchange terms. Reduced matrix elements of spherical harmonics. Rates of electric and magnetic multipole transitions. Spin dependent and non-central interactions. Matrix elements in  $LS$ -coupling.

**11. Short Range Potentials—The  $\delta$ -Interaction** 179

Eigenstates and eigenvalues in  $LS$ -coupling and in  $jj$ -coupling for isospin  $T = 1$  and  $T = 0$  states. Eigenvalues of the  $(s_1 \cdot s_2)\delta(|r_1 - r_2|)$  interaction. Comparison of level spacings calculated with zero range interactions and experimental data. Hamiltonian matrices in  $l^2$  configurations, the  $LS$ -coupling and  $jj$ -coupling limits.

**12. The Pairing Interaction and the Surface Delta Interaction** 205

General tensor expansion of interactions. Odd tensor interactions including the  $\delta$ -potential in  $T = 1$  states. The pairing interaction in  $j^n$  configurations, expansion in odd and even tensors. Mixing of several two nucleon configurations. The surface delta interaction. Eigenstates for  $T = 1$  and  $T = 0$  of mixed configurations and their eigenvalues.

**13. Two Nucleons in a Harmonic Oscillator Potential Well** 229

Transformation of the Hamiltonian to the center-of-mass and relative coordinates. Expansion of two nucleon wave functions in functions of  $R$  and  $r$ . Matrix elements of interactions. Harmonic oscillator integrals.

**14. Determinantal Many Nucleon Wave Functions** 237

The  $m$ -scheme. Slater determinants. Matrix elements of single nucleon and two-nucleon operators. Closed shells, single nucleon and single hole states. Nucleon-hole configurations, the Pandya relation.

- 15. Nucleons in the Same Orbit. Coefficients of Fractional Parentage** **261**
- Antisymmetric states in  $j^n$  configurations. C.f.p. for  $n = 3$ . Definition of c.f.p. and their applications. Recursion relation.  $n \rightarrow n - 2$  c.f.p., applications and expression in terms of  $n \rightarrow n - 1$  c.f.p. Antisymmetric states with isospin and c.f.p. C.f.p. for  $j^3$  configuration with  $T = \frac{1}{2}$ , magnetic moments. Some M1 and E1 selection rules. Relations between c.f.p. and expansion coefficients in the proton-neutron formalism.
- 16. Examples of Effective Interactions in Nuclei and Atoms** **285**
- Neutron  $(2d_{5/2})^n$  configurations in Zr isotopes. C.f.p. for  $l^n$  configurations in the shell model for atoms. Energies and effective interactions of  $p^n$  electron configurations.
- 17. Second Quantization. Single Nucleon and Two-Body Operators** **299**
- Creation and annihilation operators of identical particles. Single nucleon and two-nucleon operators. Relation between c.f.p. and reduced matrix elements of creation operators. Creation and annihilation operators with isospin. Valence protons and neutrons in different orbits.
- 18. Two Nucleon Operators. Particle Hole Interactions** **323**
- Tensor expansion of two-nucleon interactions. Interactions in nucleon-hole states of identical nucleons. Pandya relations with isospin for  $T = 0$  core states and for cores with different valence orbits of protons and neutrons.
- 19. Nucleon Pairing and Seniority** **349**
- The seniority quantum number. Quasi-spin operators and eigenvalues of the pairing interaction. States and operators in the seniority scheme. Reduction formulae for c.f.p. Special orthogonality relations for c.f.p. Reduction formulae for matrix elements of single nucleon and two-body operators.
- 20. Hamiltonians Which Are Diagonal in the Seniority Scheme** **377**
- Odd tensor interactions. Properties of Hamiltonians which are diagonal in the seniority scheme. Binding energy formula for semi-magic

nuclei. The most general Hamiltonian which is diagonal in the seniority scheme. Necessary and sufficient conditions satisfied by two-body interaction energies of such Hamiltonians.

### 21. *Examples of $j^n$ Configurations in Nuclei* 401

Neutron  $(2d_{5/2})^n$  configurations in Zr isotopes. The  $1f_{7/2}$  shell of protons and of neutrons. Discussion of the experimentally determined coefficients. Proton  $(1g_{9/2})^n$  configurations in  $N = 50$  nuclei and test for the seniority scheme. Proton  $(1h_{9/2})^n$  configurations in  $N = 126$  nuclei. Proton  $(1h_{11/2})^n$  configurations in  $N = 82$  nuclei, energies and transition rates. Comparison of binding energies of nuclei and atoms.

### 22. *The Quasi-Spin Scheme* 431

Generalized quasi-spin operators. The pairing interaction in mixed configurations. Quasi-spin properties of irreducible tensor operators. The quasi-spin scheme which diagonalizes the surface delta interaction. Matrix elements of single nucleon operators,  $ML$  transitions. SDI and the pseudo spin-orbit coupling scheme.

### 23. *Generalized Seniority. Ground States of Semi-Magic Nuclei* 447

Generalized pair creation operator. Ground states with several  $J = 0$  pairs. Conditions on Hamiltonians of which these are eigenstates. Corresponding eigenvalues of such Hamiltonians. Binding energy formula for semi-magic nuclei. Conditions on Hamiltonians in the quasi-spin scheme. The absence of a complete scheme in the general case. Significance of constant coefficients in  $S^+$ . Comparison with experiment. The pseudo argument based on pseudonium. Possible small three body terms. Discussion of the coefficients of the mass formula. Explicit conditions on two-body matrix elements. Reasons for shell model Hamiltonians satisfying these conditions.

### 24. *Generalized Seniority. Other States of Semi-Magic Nuclei* 473

First excited  $J = 2$  states. Conditions on Hamiltonians with these eigenstates. Eigenvalues of such Hamiltonians, constant 0-2 spacings. Comparison with experiment. Evidence against the quasi-spin scheme. Construction of Hamiltonians with  $(S^+)^N|0\rangle$  eigenstates. A special quadrupole operator and its equation of motion. Pair creation operators with  $J = 0$  and  $J = 2$ , of hole states. Generalized seniority as a truncation scheme.

**25. Seniority and the  $Sp(2j + 1)$  Group** **501**

Average interaction energy in states with the same seniority. Another approach to seniority. Tensor operators as generators of the  $U(2j + 1)$  group. Its Casimir operator. Odd tensor operators as generators of the  $Sp(2j + 1)$  group. Casimir operator of  $Sp(2j + 1)$ , its eigenvalues and relation with the pairing interaction. Chains of groups and quantum numbers. Average interaction energies.

**26. Seniority with Isospin. The  $U(2(2j + 1))$  Group and Subgroups** **521**

Symmetry of wave functions under permutations. Irreducible representations and Young diagrams. Permutation symmetry and isospin. Examples of fully antisymmetric states. Transformation of wave functions under  $U(2j + 1)$  operations. Irreducible representations defined by symmetry types of states. The  $U(2(2j + 1))$  group and its subgroups. The  $Sp(2j + 1)$  group and its irreducible representations. Seniority and reduced isospin. Casimir operator of  $Sp(2j + 1)$ , its eigenvalues and relation to the pairing interaction.

**27. Applications of Seniority with Isospin. Symmetry Energy** **547**

C.f.p. of states with lowest seniorities,  $\nu = 0$ ,  $t = 0$ , and  $\nu = 1$ ,  $t = \frac{1}{2}$ . Magnetic moments of odd even nuclei. Interaction energies in  $(\frac{3}{2})^n$  configurations. Comparison with experiment. Experimental evidence against definite seniorities of states in  $j^n$  configurations of protons and neutrons. Average interaction energies. Binding energy formula and symmetry energy. General features of mass formula which hold also in nuclei where the  $j^n$  description fails.

**28. Seniority in  $l^n$  Configurations with  $T = n/2$ . The  $O(2l + 1)$  Group** **575**

Symmetry properties of spin states.  $U(2l + 1)$  transformations on spatial wave functions. Construction of fully antisymmetric states. Examples. The Casimir operator of  $U(2l + 1)$  and its eigenvalues. The group  $O(2l + 1)$  and its irreducible representations. The  $U(2(2l + 1))$  group and its subgroups. The Casimir operator of  $O(2l + 1)$ , its eigenvalues and relation to the pairing interaction. The group  $Sp(2(2l + 1))$  and seniority. Interactions constructed from the generators.



**29. *LS-Coupling of Protons and Neutrons.***  
***The  $SU(4)$  Scheme*** **599**

Symmetry properties of spin-isospin states. The  $SU(4)$  group, its irreducible representations and quantum numbers. Wigner supermultiplets. The Majorana space exchange operator, its eigenvalues and relation to the  $SU(4)$  Casimir operator. Simple binding energy formula, symmetry energy and pairing energy.  $l^n$  configurations. The  $U(2l + 1)$  group and its  $O(2l + 1)$  subgroup. Casimir operators. Seniority in  $l^n$  configurations with isospin. Binding energy formula. Favored and unfavored  $\beta$ -decay.

**30. *Special Proton Neutron Mixed Configurations.***  
***The  $SU(3)$  Scheme*** **621**

Degeneracies in the harmonic oscillator potential. The  $SU(3)$  group and its irreducible representations. The Casimir operator and its eigenvalues. Two-nucleon interactions with  $SU(3)$  symmetry and eigenvalues of  $SU(3)$  Hamiltonians. Irreducible representations of  $O(3)$  contained in  $SU(3)$  irreducible representations. The  $K$  quantum number and rotational bands. The  $1p$  shell and the  $2s, 1d$  shell. Difficulties due to strong spin-orbit interaction.

**31. *Valence Protons and Neutrons in Different Orbits*** **645**

Mutual interaction energies. Weak coupling and center-of-mass theorem. Non-diagonal matrix elements. Special case with  $j = \frac{1}{2}$  of one of the orbits. Examples of exact diagonalization—the  $^{42}\text{K}$  spectrum, levels of  $^{93}\text{Mo}$ . Spin gaps—Yrast traps. Other examples,  $^{211}\text{Po}$  and  $^{212}\text{Po}$ . Average attraction between protons and neutrons. Its effect on level order in  $^{11}\text{Be}$ . Average repulsion of identical nucleons in different orbits. Implications for nuclear structure. General expressions with isospin. Matrix elements of single nucleon operators. Matrix elements for pick-up and stripping reactions. General expressions with isospin. A simple example of E2 transitions in  $g_{9/2}^n p_{1/2}^{n'}$  mixed configurations.

**32. *Configuration Mixing. Effective Operators*** **681**

Matrix elements of interactions between various configurations differing by orbits of *two* nucleons. Second-order corrections to energies due to such configuration mixing, effective two-body interactions. Matrix elements of interactions between various configurations differing by the orbit of *one* nucleon. Change in radial functions of single

nucleons due to such configuration mixing. Emergence of deformed orbits. First-order change in nuclear states and its effect on single nucleon operators. Effects of core polarization on electromagnetic transitions. Core polarization, the odd-even variation of nuclear charge distribution and magnetic moments. Second-order corrections to energies, two-body and three-body terms.

### **33. The Interacting Boson Model (IBA-1) 731**

The collective model. The  $K$  quantum number. The vibrational, rotational and the  $\gamma$ -unstable limits. Description in terms of  $d$ -bosons. The  $U(6)$  symmetry of  $d$ -boson states. The Arima-Iachello interacting boson model with  $s$ - and  $d$ -bosons. Hamiltonians constructed from generators of the  $U(6)$  group. The Casimir operator of  $U(6)$  and its eigenvalues.

### **34. The $U(5)$ Scheme—The Vibrational Limit 751**

The  $U(5)$  subgroup of  $U(6)$  and its  $O(5)$  subgroup. Irreducible representations, Casimir operators and their eigenvalues. Boson seniority and the pairing interaction. Eigenvalues of Hamiltonians with  $U(5)$  dynamical symmetry. The  $J$ -values of states in irreducible representations of  $O(5)$ , the  $n_{\Delta}$  quantum number. C.f.p. of  $d$ -bosons and relation to reduced matrix elements of  $d^+$ . Matrix elements of the E2 transition operator. Reduction formulae.

### **35. The $O(6)$ Limit. $O(5)$ Symmetry 777**

The  $O(6)$  subgroup of  $U(6)$  and its generators. A pairing interaction, the Casimir operator, its eigenvalues and irreducible representations of  $O(6)$ . The scheme defined by the  $O(5)$  subgroup of  $O(6)$ . Eigenvalues of Hamiltonians with  $O(6)$  dynamical symmetry. Selection rules on E2 transitions due to  $O(6)$  and  $O(5)$  symmetries. Hamiltonians with  $O(5)$  symmetry (including the  $U(5)$  and  $O(6)$  limits). Eigenvalues and eigenstates of such Hamiltonians. Generalized pairing interaction. Intrinsic states and eigenvalues of projected states. E2 transitions in states with  $O(5)$  symmetry. Reduction formulae and branching ratios for any set of states with  $O(5)$  symmetry.

### **36. The $SU(3)$ Dynamical Symmetry— Rotational Spectra 797**

The  $SU(3)$  subgroup of  $U(6)$ , its generators and allowed irreducible representations. The Casimir operator and its eigenvalues. Allowed

$J$ -values of states in irreducible representations of  $SU(3)$ , the  $K$  quantum number. Hamiltonians with pairing and quadrupole pairing interactions (including the  $SU(3)$ - $O(6)$  transition region). Intrinsic states. Construction of conjugate representations. A smooth transition between  $SU(3)$  and  $O(6)$  and the consistent  $Q$  formalism.

### 37. Mapping States of Identical Fermions onto Boson States

817

IBA-1, not directly related to the shell model, considered within the collective model. Analogy with the  $U(4)$  boson model for diatomic molecules. Correspondence between states of identical nucleons constructed from  $J = 0$  and  $J = 2$  pairs and boson states. Equivalent boson Hamiltonians. Correspondence between pair creation and annihilation quasi-spin operators,  $S^+$  and  $S$ , and boson  $s^+, s$  operators. It cannot be extended to the general case with unequal  $\alpha_j$  coefficients and  $D$ -pair operators. Difficulties due to the Pauli principle. The Ginocchio  $O(6)$  and  $SU(3)$  models and exact mapping of fermion states onto boson states. Search for equivalent boson quadrupole operators in the general case.

### 38. Valence Protons and Neutrons. The S-D Space

847

The need for truncation of shell model Hamiltonians. Seniority breaking by proton-neutron interactions. Tensor expansion of proton-neutron interactions in actual nuclei and dominant quadrupole term. Matrix elements of a simple quadrupole interaction in the proton-neutron basis. Truncation of the huge shell model space to the S-D space. Mapping of the S-D space onto the space of  $s$ - and  $d$ -bosons.

### 39. The Proton Neutron Interacting Boson Model (IBA-2)

867

The model with  $s_\pi, d_\pi$  proton bosons and  $s_\nu, d_\nu$  neutron bosons. Hamiltonians symmetric in proton and neutron bosons,  $F$ -spin. Irreducible representations of  $U_{\pi+\nu}(6)$  combined with  $F$ -spin states to form fully symmetric states. Eigenvalues of the Casimir operator of  $U_{\pi+\nu}(6)$ . The Majorana operator and its relation to  $F^2$ . Dynamical symmetries of Hamiltonians with definite  $F$ -spin states, the  $U_{\pi+\nu}(5)$ , the  $O_{\pi+\nu}(6)$  and the  $SU_{\pi+\nu}(3)$  limits. Quantum numbers and eigenvalues. Other dynamical symmetries, group chain containing  $SU_\pi(3) \otimes SU_\nu(3)$ . The  $\overline{SU}(3)$  group and the chain with  $SU_\pi(3) \otimes \overline{SU}_\nu(3) \supset$

$SU_{\pi+\nu}(3)$ , eigenstates and eigenvalues. Group chains with  $U_{\pi}(5) \otimes U_{\nu}(5)$  and  $O_{\pi}(6) \otimes O_{\nu}(6)$ , eigenstates and eigenvalues.

**40. Simple IBA-2 Hamiltonians. Some Applications** 895

Projection of general IBA-2 single boson operators and Hamiltonians on states with  $F = \frac{1}{2}(N_{\pi} + N_{\nu})$ . A basic schematic Hamiltonian. Parts of the Majorana operator which have simple nucleon origin. States with definite  $F$ -spins and corresponding states with definite isospins. IBA-3. Collective M1 transitions in IBA-2. Calculation of energy levels and E2 transition rates in Xe and Ba isotopes and in  $^{196}\text{Pt}$ . Possible need of renormalization of single boson energies for reproduction of rotational spectra in highly deformed nuclei.

**41. Particles Coupled to a Rotating Core** 923

A single nucleon interacting with a core by quadrupole interaction. Eigenstates and eigenvalues for a single  $j$ -orbit. Physical meaning of eigenstates. The kinetic energy of the core as a perturbation. Expression of rotational energies. The case of several  $j$ -orbits and one or more nucleons. Eigenstates and eigenvalues. Rotational energies. Magnetic moments in the case of a single  $j$ -orbit and in the general case. Cores described by  $(\lambda, 0)$  irreducible representations of  $SU(3)$ . The weak coupling limit. Decoupled bands and band crossing (back-bending).

**Appendix** 951

**Bibliography** 1059

**Index** 1067