
Term Rewriting Systems

Terese



CAMBRIDGE
UNIVERSITY PRESS

Contents

Preface	xv
0 Introduction	1
0.1 An example from functional programming	3
0.2 An example from topology: Reidemeister moves	3
0.3 An example from logic: tautology checking	4
1 Abstract reduction systems	7
<i>Marc Bezem, Jan Willem Klop</i>	
1.1 Basic notions of ARSs	7
1.2 Interrelations between ARS properties	14
1.3 Specific ARS properties	20
1.3.1 Confluence	20
1.3.2 Normalization	22
1.3.3 Miscellaneous	22
2 First-order term rewriting systems	24
<i>Jan Willem Klop, Roel de Vrijer</i>	
2.1 Terms	25
2.1.1 Contexts, occurrences	26
2.1.2 Term trees	28
2.1.3 Substitution	31
2.1.4 Matching, subsumption, unification	32
2.2 Definition of a TRS	34
2.3 Reduction	38
2.4 Equational systems	41
2.5 Semantics	43
2.6 Complete term rewriting systems and the word problem	45
2.7 Overlap and critical pairs	47
2.7.1 Overlapping redex patterns	48
2.7.2 Critical pairs and the Critical Pair Lemma	52
2.7.3 Roads to confluence	57
2.8 Properties of critical pairs as criteria for confluence	58
3 Examples of TRSs and special rewriting formats	60
<i>Jan Willem Klop, Roel de Vrijer</i>	
3.1 Numerals and streams	60
3.2 Herbrand–Gödel computability	62
3.3 Combinatory logic	64

3.3.1	The combinators	66
3.3.2	Miscellaneous facts about combinators	69
3.3.3	Fixed points	70
3.3.4	Mixed notation	72
3.3.5	Currying	73
3.4	Special rewriting formats	75
3.4.1	Ground TRSs	75
3.4.2	Constructor term rewriting systems	76
3.4.3	Many-sorted term rewriting systems	77
3.4.4	String rewriting systems	78
3.5	Conditional term rewriting systems	80
3.5.1	Conditional specifications	80
3.5.2	Conditional rewriting	81
3.6	The $\lambda\sigma$ -calculus	85
4	Orthogonality	88
	<i>Jan Willem Klop, Vincent van Oostrom, Roel de Vrijer</i>	
4.1	Introduction	88
4.2	Descendants and residuals	92
4.3	Confluence via the parallel moves lemma	99
4.4	Underlinable reductions	101
4.5	Complete developments	106
4.6	Completion of reduction diagrams	110
4.6.1	Elementary diagrams	110
4.6.2	Reduction diagrams	112
4.6.3	Permutation equivalence	116
4.7	Inductive confluence proofs	118
4.7.1	Confluence via parallel rewriting	120
4.7.2	Inductively defined multi-steps	124
4.8	Non-erasing reductions	125
4.9	Reduction strategies	129
4.9.1	Relaxing the constraints in $\mathbb{F}_{lm}$, $\mathbb{F}_{GK}$ and $\mathbb{F}_{po}$	133
4.9.2	Standard reductions in orthogonal left-normal TRSs	135
4.10	Confluence for weakly orthogonal TRSs	137
4.11	Confluence for weakly orthogonal CTRSs	141
4.11.1	Stable conditions	142
4.11.2	Weakly orthogonal normal CTRSs	144
4.11.3	Conditional linearization	147
5	Properties of rewriting: decidability and modularity	149
	<i>Jan Willem Klop, Roel de Vrijer</i>	
5.1	Decidability	149
5.2	Easy (un)decidability results	150
5.3	Undecidability of strong normalization	151
5.3.1	Undecidability of SN via Turing machines	152
5.3.2	Undecidability via register machines	156
5.3.3	Reducing Post's correspondence problem to SN	156

5.4	Undecidability properties of combinatory logic	158
5.5	Undecidability of normal forms in conditional term rewriting systems	159
5.6	Decidability of WN for recursive program schemes	161
5.7	Modularity	163
5.7.1	Basic notions concerning disjoint sums of TRSs	163
5.7.2	Modularity of weak normalization	167
5.8	Modularity of confluence	168
5.9	The case of strong normalization	174
5.10	Other modularity results	178
6	Termination	181
	<i>Hans Zantema</i>	
6.1	Introduction	181
6.2	Semantical methods	183
6.2.1	Well-founded monotone algebras	183
6.2.2	Polynomial interpretations	187
6.2.3	Polynomial interpretations modulo AC	194
6.2.4	Lexicographic combinations	196
6.2.5	Other examples	198
6.3	A hierarchy of termination	199
6.3.1	Simple termination	199
6.3.2	Total termination	205
6.3.3	The hierarchy	207
6.4	Syntactical methods	210
6.4.1	Recursive path order	211
6.4.2	Justification of recursive path order	216
6.4.3	Extensions of recursive path order	223
6.4.4	Knuth–Bendix order	225
6.5	Transformational methods	227
6.5.1	Basic transformations	228
6.5.2	Dummy elimination	231
6.5.3	Applying abstract commutation	234
6.5.4	Semantic labelling	241
6.5.5	The dependency pair method	250
6.5.6	Type introduction	256
7	Completion of equational specifications	260
	<i>Inge Bethke</i>	
7.1	Equational specifications: syntax and semantics	260
7.2	Initial algebra semantics	266
7.3	Conditional equational deduction	271
7.4	Critical pair completion	273
7.5	An abstract formulation of completion	282
7.6	Inductive proofs by consistency	288
7.7	<i>E</i> -unification	290

8	Equivalence of reductions	301
	<i>Vincent van Oostrom, Roel de Vrijer</i>	
8.1	Introduction	301
8.1.1	Orthogonality of steps	304
8.1.2	Equivalence of reductions	307
8.1.3	Causal equivalence	308
8.1.4	Permutation equivalence	310
8.1.5	Labelling equivalence	311
8.1.6	Standardization equivalence	313
8.1.7	Trace equivalence	314
8.1.8	Projection equivalence	315
8.2	Rewriting systems revisited	316
8.2.1	Abstract rewriting systems revisited	317
8.2.2	Term rewriting systems revisited	321
8.3	Permutation	329
8.3.1	Structural equivalence	330
8.3.2	Permutation equivalence	335
8.4	Labelling	338
8.4.1	Labelling abstract rewriting systems	339
8.4.2	Unwinding abstract rewriting systems	344
8.4.3	Labelling term rewriting systems	348
8.4.4	Hyland–Wadsworth labelling	353
8.4.5	Boudol–Khasidashvili labelling	355
8.4.6	Lévy labelling	356
8.5	Standardization	360
8.5.1	Parallel standard reductions	363
8.5.2	Selection parallel standardization	367
8.5.3	Inversion parallel standardization	371
8.5.4	Standard reductions	377
8.5.5	Selection standardization	380
8.5.6	Inversion standardization	381
8.5.7	Left-normal term rewriting systems	383
8.6	Tracing	386
8.6.1	Tracing positions	388
8.6.2	Tracing slices	395
8.6.3	Unwinding term rewriting systems	400
8.6.4	Label–tracing	405
8.6.5	Reconstruction for Lévy unwinding	415
8.6.6	Unwinding TRSs as ARSs	421
8.6.7	Semi-standardization	421
8.6.8	Reconstruction for Boudol–Khasidashvili unwinding	426
8.7	Projection	428
8.7.1	Abstract residual systems	430
8.7.2	Abstract projection equivalence	438
8.7.3	The reflexive–transitive closure of a residual system	442
8.7.4	Term residual systems	449

8.7.5	Term projection equivalence	452
8.8	Applications to orthogonal term rewriting systems	454
8.8.1	The Parallel Proofs Lemma	454
8.8.2	Removing redundancy in labels	458
8.8.3	Standardization in left-normal orthogonal systems	459
8.8.4	Weakly orthogonal term rewriting systems	463
8.9	Braids	467
8.9.1	Equivalence of braids	468
8.9.2	Orthogonality of braids	470
9	Strategies	475
	<i>Vincent van Oostrom, Roel de Vrijer</i>	
9.1	Strategies revisited	478
9.1.1	Abstract rewriting strategies revisited	478
9.1.2	Term rewriting strategies revisited	482
9.2	Neededness	485
9.2.1	Normalization of the needed strategy	487
9.2.2	Hyper-normalization of the needed strategy	489
9.2.3	Existence and undecidability of needed redexes	496
9.2.4	Strongly sequential term rewriting systems	499
9.2.5	Head neededness	503
9.3	Fairness	505
9.3.1	Fair strategies	506
9.3.2	Outermost-fair strategies	509
9.3.3	Applications to positional strategies	512
9.4	Optimality	515
9.4.1	The internal needed strategy	516
9.4.2	The needed family strategy	518
9.4.3	Sharing graph rewriting	521
9.4.4	Optimal sharing	528
9.5	Pessimality	530
9.5.1	The limit strategy	531
9.5.2	The zoom-in strategy	534
9.6	Computable one-step strategies	535
9.6.1	A recursive normalizing strategy	537
9.6.2	A recursive cofinal strategy	541
9.6.3	Simulating multi-step strategies	546
10	Lambda calculus	548
	<i>Inge Bethke</i>	
10.1	Basics	548
10.2	Fundamental theorems	554
10.2.1	Confluence of $\lambda\beta$ - and $\lambda\beta\eta$ -calculus	554
10.2.2	Finiteness of developments	557
10.2.3	Parallel moves	562
10.2.4	Standardization and normalization	564
10.3	Lambda definability	571

10.4	Extensions of λ -calculus	572
10.5	Simply typed λ -calculus	581
11	Higher-order rewriting	588
	<i>Femke van Raamsdonk</i>	
11.1	Introduction	588
11.2	Higher-order rewriting systems	589
11.2.1	Terms	590
11.2.2	Rewriting	595
11.2.3	Related formats	604
11.3	Combinatory reduction systems	608
11.3.1	Terms	608
11.3.2	Rewriting	610
11.3.3	Related formats	614
11.4	Comparing CRSs and HRSs	617
11.4.1	From CRSs to HRSs	618
11.4.2	From HRSs to CRSs	623
11.5	Termination	627
11.5.1	Finite developments	628
11.5.2	Termination models	633
11.5.3	Recursive path order	641
11.6	Confluence	642
11.6.1	Orthogonality	642
11.6.2	Confluence by orthogonality	647
11.6.3	Confluence by weak orthogonality	656
11.6.4	Development closed	661
11.6.5	Critical pairs	665
12	Infinitary rewriting	668
	<i>Richard Kennaway, Fer-Jan de Vries</i>	
12.1	Introduction	668
12.2	Infinitary term rewriting systems	670
12.3	Strongly converging reductions	672
12.4	Infinitary lambda calculus	676
12.5	Descendants and developments	679
12.6	Tiling diagrams	684
12.7	The Compression Lemma	689
12.8	A partial Church–Rosser property	691
12.9	Meaningless terms	697
12.9.1	Concepts of meaninglessness	697
12.9.2	Consequences of meaninglessness	699
12.9.3	Proofs	701
12.9.4	Examples of classes of meaningless terms	708
12.10A	refinement of infinitary lambda calculus	709

13 Term graph rewriting	712
<i>Erik Barendsen</i>	
13.1 Introduction	712
13.2 Graphs	714
13.3 Equational presentations of graphs	722
13.3.1 Equational characterization of bisimilarity	724
13.3.2 Syntactic characterizations of homomorphisms	726
13.3.3 Flattening and hiding	728
13.4 Rewriting	730
13.5 Adequacy of graph rewriting for term rewriting	735
13.6 Terms with recursion	738
14 Advanced ARS theory	744
<i>Marc Bezem, Jan Willem Klop, Vincent van Oostrom</i>	
14.1 Reduction diagrams	744
14.2 Confluence by decreasing diagrams	751
14.3 Reduction modulo equivalence	767
15 Rewriting-based languages and systems	776
<i>Jan Heering, Paul Klint</i>	
15.1 Introduction	776
15.2 Application areas	777
15.3 Systems	779
15.4 Implementation of term rewriting	788
A Mathematical background	790
<i>Marc Bezem</i>	
A.1 Relations, functions and orders	790
A.2 Ordinals	799
A.3 Inductive definitions	801
A.4 Metric topology	807
A.5 Infinite combinatorics	810
A.6 Multisets	820
References	826
List of notations	857
Index of authors	864
Index of subjects	869