

Contents

1	Introduction	1
1.1	A Short History of T _E X and L ^A T _E X	1
1.1.1	In the Beginning There Was T _E X	1
1.1.2	Then Leslie Lamport Developed L ^A T _E X	2
1.1.3	With L ^A T _E X toward the Year 2000?	3
1.2	L ^A T _E X and Its Components	3
1.2.1	How Does L ^A T _E X Work?	3
1.2.2	Output Processors	6
1.3	The Concept of Generic Markup	6
1.3.1	What Is Generic Markup?	6
1.3.2	Advantages of Generic Markup	8
1.3.3	Separation of Content and Form	8
1.4	Necessity of Layout Markup	9
1.4.1	Pitfalls of Layout Markup	9
1.4.2	When to Use Layout Markup	10
2	The Structure of a L^AT_EX Document	11
2.1	The Structure of a Source File	11
2.1.1	Processing of Options and Packages	13
2.1.2	Splitting the Source File into Parts	16
2.1.3	Combining Several Files	17
2.2	Logical Structure	17
2.3	Sectioning Commands	18
2.3.1	Numbering Headings	20
2.3.2	Formatting Headings	24
2.3.3	Changing Fixed Heading Texts	30

2.4	Structure of the Table of Contents	31
2.4.1	Typesetting a Contents List	32
2.4.2	Entering Information into the Contents Files	35
2.4.3	Defining a New TOC-Like File	36
2.4.4	Multiple Tables of Contents	36
2.5	Managing References	40
2.5.1	varioref—More Flexible Cross-References	41
2.5.2	References to External Documents	45
3	Basic Formatting Tools	47
3.1	Phrases and Paragraphs	48
3.1.1	letterspace—Changing Inter-Letter Spacing	48
3.1.2	ulem—Emphasize via Underline	49
3.1.3	xspace—Gentle Spacing after a Macro	50
3.1.4	Paragraph Justification	50
3.1.5	doublespace—Changing Inter-Line Spacing	52
3.1.6	picinpar—Typeset a Paragraph with a Rectangular Hole	53
3.1.7	shapepar—Typeset a Paragraph with a Specified Shape	54
3.2	List Structures	56
3.2.1	Modifying the Standard Lists	56
3.2.2	Making Your Own Lists	60
3.3	Simulating Typed Text	66
3.3.1	alltt—A Verbatim-Like Environment	66
3.3.2	verbatim—A Style for Literal Text	66
3.3.3	moreverb—More Verbatim-Like Environments	66
3.4	Footnotes, Endnotes, and Marginals	70
3.4.1	Customizing Footnotes	70
3.4.2	Marginal Notes	74
3.4.3	Endnotes	74
3.5	Using Multiple Columns	75
3.5.1	multicol—A Flexible Way to Handle Multiple Columns	76
3.5.2	Typesetting in Columns	76
3.5.3	Customizing the multicol Environment	77
3.5.4	Floats and Footnotes in multicol	79
3.5.5	ftnright—Right Footnotes in a Two-Column Environment	80
3.6	Simple Version Control	80
4	The Layout of the Page	83
4.1	Geometrical Dimensions of the Layout	84
4.2	Changing the Layout	87
4.2.1	Page Layout Packages	88
4.2.2	Typesetting Pages in Landscape Mode	90
4.3	Page Styles	91
4.3.1	Writing New Page Styles	92

4.3.2	Customizing Page Styles with fancyheadings	96
4.4	Visual Formatting	99
5	Tabular Material	101
5.1	Comparing the tabbing and tabular Environments	102
5.2	Using the tabbing Environment	102
5.2.1	The program Environment	104
5.3	array—Extending the tabular Environments	104
5.3.1	Examples of Preamble Commands	105
5.3.2	Style Parameters	110
5.3.3	Defining New Column Specifiers	112
5.3.4	Some Peculiarities of the array Implementation	113
5.3.5	tabularx—Automatic Calculation of the Column Widths	113
5.3.6	delarray—Specifying Delimiters Surrounding an Array	117
5.4	Multipage Tabular Material	118
5.4.1	supertab—Making Multipage Tabulars	119
5.4.2	longtable—Sophisticated Multipage Tabulars	122
5.4.3	A Final Comparison	126
5.5	Bells and Whistles	129
5.5.1	dcolum—Defining Column Alignments	129
5.5.2	hhline—Combining Horizontal and Vertical Lines	130
5.6	Applications	131
5.6.1	Hyphenation in Narrow Columns	132
5.6.2	Footnotes in Tabular Material	132
5.6.3	Managing Tables with Wide Entries	133
5.6.4	Columns Spanning Multiple Rows	134
5.6.5	Tables Inside Tables	136
5.6.6	Two More Examples	139
6	Mastering Floats	141
6.1	Understanding Float Parameters	141
6.2	Improved Float Control	144
6.3	float—Creating New Float Types	146
6.3.1	I Want My Float “Here”!	149
6.4	Different Kinds of Floating Environments	150
6.4.1	floatfig—Narrow Floating Figures	150
6.4.2	wrapfig—Wrapping Text around a Figure	151
6.4.3	subfigure—Figures inside Figures	152
6.4.4	endfloat—Place Figures and Tables at the End	153
6.5	Customizing Your Captions	154
7	Font Selection	157
7.1	Introduction to NFSS	157
7.2	Understanding Font Characteristics	159

7.2.1	Monospaced and Proportional Fonts	159
7.2.2	Serifed and Sans Serif Fonts	160
7.2.3	Font Families and Their Attributes	160
7.2.4	Encoding Schemes	164
7.3	Using Fonts in Text	165
7.3.1	Standard NFSS Font Commands	165
7.3.2	Combining Standard Font Commands	170
7.3.3	Font Commands versus Declarations	171
7.3.4	Accessing All Characters of a Font	172
7.3.5	Changing the Default Text Fonts	173
7.3.6	L ^A T _E X 2.09 Font Commands	174
7.4	Using Fonts in Math	174
7.4.1	Special Math Alphabet Identifiers	175
7.4.2	Text Font Commands in Math	178
7.4.3	Mathematical Formula Versions	178
7.5	Standard Packages	180
7.5.1	Providing New Text Fonts	180
7.5.2	Providing New Math Fonts	183
7.5.3	slides—Producing Overhead Slides	185
7.5.4	Processing Older Documents	185
7.5.5	Special Packages for NFSS	186
7.6	The Low-Level Interface	187
7.6.1	Setting Individual Font Attributes	188
7.6.2	Setting Several Font Attributes	192
7.6.3	Automatic Substitution of Fonts	193
7.6.4	Using Low-Level Commands in the Document	193
7.7	Setting Up New Fonts	194
7.7.1	Overview	194
7.7.2	Declaring New Font Families and Font Shape Groups	194
7.7.3	Modifying Font Families and Font Shape Groups	202
7.7.4	Declaring New Encoding Schemes	202
7.7.5	Internal File Organization	203
7.7.6	Declaring New Fonts for Use in Math	205
7.7.7	The Order of Declaration	209
7.8	Warning and Error Messages	210
8	Higher Mathematics	215
8.1	The $\mathcal{A}\mathcal{M}\mathcal{S}$ -L ^A T _E X Project	215
8.2	Fonts and Symbols in Formulae	216
8.2.1	Names of Math Font Commands	216
8.2.2	Mathematical Symbols	217
8.3	Compound Symbols, Delimiters, and Operators	223
8.3.1	Multiple Integral Signs	223
8.3.2	Over and Under Arrows	223

8.3.3	Dots	224
8.3.4	Accents in Math	224
8.3.5	Superscripted Accents	225
8.3.6	Dot Accents	225
8.3.7	Roots	225
8.3.8	Boxed Formulae	225
8.3.9	Extensible Arrows	226
8.3.10	<code>\overset</code> , <code>\underset</code> , and <code>\sideset</code>	226
8.3.11	The <code>\smash</code> Command	227
8.3.12	The <code>\text</code> Command	227
8.3.13	Operator Names	228
8.3.14	<code>\mod</code> and Its Relatives	229
8.3.15	Fractions and Related Constructions	229
8.3.16	Continued Fractions	230
8.3.17	Big-g-g-g Delimiters	230
8.4	Matrix-Like Environments and Commutative Diagrams	231
8.4.1	The <code>cases</code> Environment	231
8.4.2	The Matrix Environments	231
8.4.3	The <code>Sb</code> and <code>Sp</code> Environments	233
8.4.4	Commutative Diagrams	233
8.5	Alignment Structures for Equations	235
8.5.1	The <code>align</code> Environment	236
8.5.2	The <code>gather</code> Environment	236
8.5.3	The <code>alignat</code> Environment	237
8.5.4	The <code>multline</code> Environment	237
8.5.5	The <code>split</code> Environment	238
8.5.6	Alignment Environments as Parts of Displays	239
8.5.7	Vertical Spacing and Page Breaks in Equation Structures	239
8.5.8	The <code>\intertext</code> Command	240
8.6	Miscellaneous	240
8.6.1	Equation Numbers	240
8.6.2	Resetting the Equation Counter	241
8.6.3	Fine-Tuning Spacing in Math Mode	242
8.6.4	A Few Points to Note	242
8.6.5	Options and Sub-Packages to the <code>amstex</code> Package	243
8.6.6	$\mathcal{A}\mathcal{M}\mathcal{S}$ - $\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ Document Classes	244
8.7	Examples of Multiple-Line Equation Structures	244
8.7.1	The <code>split</code> Environment	244
8.7.2	The <code>multline</code> Environment	247
8.7.3	The <code>gather</code> Environment	248
8.7.4	The <code>align</code> Environment	248
8.7.5	Using the <code>align</code> and <code>split</code> Environments within <code>gather</code>	249
8.7.6	Using the <code>alignat</code> Environments	250

8.8	Extensions to the theorem Environment	251
8.8.1	Defining New Theorem Environments	252
8.8.2	Examples of the Definition and Use of Theorems	253
8.8.3	Special Considerations	254
8.9	Mathematical Style Parameters	255
8.9.1	Controlling the Size of Characters	255
8.9.2	L ^A T _E X Math Style Parameters	256
9	L^AT_EX in a Multilingual Environment	259
9.1	T _E X and Non-English Languages	259
9.1.1	The Virtual Font Mechanism	261
9.2	Babel—L ^A T _E X Speaks Multiple Languages	262
9.2.1	The User Interface	263
9.2.2	The german Option	264
9.2.3	The Structure of the babel Language Style Files	265
9.3	Implementing Typographic Rules	272
9.3.1	Traditional French Typographic Rules	272
9.3.2	Commands of the french Package	273
9.3.3	Structure of the french Package	274
10	Portable Graphics in L^AT_EX	275
10.1	Ornaments	277
10.1.1	Boxed Minipages	277
10.1.2	Shadow Boxes	277
10.1.3	Fancy Frames	278
10.2	The picture Environment	280
10.2.1	Bezier Approximations	280
10.2.2	Putting Multiple Boxes	281
10.2.3	Drawing Binary or Ternary Trees	282
10.2.4	Drawing Bar Charts	283
10.2.5	Examples of the barenv Environment	286
10.2.6	Drawing Arbitrary Curves	287
10.2.7	Other Packages	293
10.3	Enhancements to the picture Environment—epic	293
10.3.1	Description of the Commands	295
10.4	Extending the epic Package	300
10.4.1	eeepic's Extensions to L ^A T _E X	300
10.4.2	eeepic's Extensions to epic	301
10.4.3	New Commands with eeepic	301
10.4.4	Compatibility	302
10.4.5	Examples	303
10.5	Packages Based on epic	303
10.5.1	Drawing Bipartite Graphs	303
10.5.2	Drawing Trees	307

11 Using PostScript	311
11.1 The PostScript Language	311
11.1.1 About the Language	311
11.1.2 What Is Encapsulated PostScript?	313
11.2 dvips—A dvi to PostScript Converter	315
11.3 Merging Text and PostScript Graphics	317
11.3.1 Simple Figures	319
11.3.2 Draft Figures	320
11.3.3 More Complex Figure Arrangements	320
11.4 Rotating Material	320
11.4.1 Rotating Tabular Material	324
11.4.2 Rotating a Figure	327
11.4.3 Rotated Captions Only	327
11.5 Using Revision Bars	328
11.5.1 The User Interface	328
11.5.2 Changebar Parameters	329
11.5.3 Deficiencies and Bugs	330
11.6 Boxing and Gray Shading	330
11.7 Color Output	331
11.8 Overlaying Text on the Output Page	332
11.9 The NFSS Revisited	332
11.9.1 Naming Those Thousands of Fonts	332
11.9.2 The PSNFSS System	334
11.9.3 Using the PostScript Pi Fonts	335
11.9.4 Generic Commands in the Style pifont	337
11.9.5 The Symbol Font	337
11.9.6 Setting Up New PostScript Fonts Yourself	339
11.9.7 Replacing All T _E X Fonts with PostScript Fonts	340
11.10 DCPS—The Cork Encoding with PostScript Fonts	340
12 Index Generation	345
12.1 Syntax of the Index Entries	346
12.1.1 Simple Index Entries	347
12.1.2 Generating Subentries	348
12.1.3 Page Ranges and Cross-References	348
12.1.4 Controlling the Presentation Form	349
12.1.5 Printing Those Special Characters	350
12.1.6 Points to Note	350
12.1.7 Consistency and Index Entries	351
12.2 Preparing the Index	352
12.2.1 Generating the Raw Index	352
12.2.2 Generating the Formatted Index	353
12.3 Running the <i>MakeIndex</i> Program	353
12.3.1 Detailed Options of the <i>MakeIndex</i> Program	355

12.3.2	Error Messages	356
12.4	Customizing the Index	357
12.4.1	Example of Index Style Files	358
12.4.2	A Stand-Alone Index	358
12.4.3	Changing the "Special Characters"	360
12.4.4	Changing the Output Format of the Index	361
12.4.5	Treating Funny Page Numbers	363
12.4.6	Glossary Entries	364
12.5	Modifying the Layout	364
12.5.1	Multiple Indexes	365
12.5.2	A Reimplementation of the Index Commands	367
13	Bibliography Generation	371
13.1	Entering the Citations	372
13.1.1	Customizing the Citations	373
13.1.2	Customizing the Bibliography Labels	374
13.2	Using BibTeX with L ^A T _E X	375
13.2.1	A List of BibTeX Style Files	376
13.2.2	Examples of BibTeX Styles	378
13.3	Multiple Bibliographies in One Document	385
13.3.1	The chapterbib Package	385
13.3.2	The bibunits Package	386
13.4	Bibliography Data Base Management Tools	392
13.5	The General Format of the .bib File	398
13.5.1	The General Format of a BibTeX Entry	398
13.5.2	The Text Part of a Field Explained	398
13.5.3	Abbreviations in BibTeX	402
13.5.4	A BibTeX Preamble	404
13.5.5	Cross-References	404
13.5.6	Some Further Remarks	405
13.6	Detailed Description of the Entries	405
13.7	Understanding BibTeX Styles	407
13.7.1	A General Description of a BibTeX Style File	407
13.7.2	The BibTeX Style File Commands	410
13.7.3	The Built-In Functions	410
13.7.4	The Documentation Style btxbst.doc	410
13.8	Introducing Small Changes in a Style File	414
13.8.1	Adding a New Field	414
13.8.2	Foreign Language Support	416
13.9	makebst—Customizing Bibliographic Style Files	419
13.9.1	Running makebst	419
14	L^AT_EX Package File Documentation Tools	421
14.1	Documenting Package Files	421

14.2	The User Interface for the doc Package	422
14.2.1	General Conventions	422
14.2.2	Describing New Macros and Environments	423
14.2.3	Cross-Referencing All Macros Used	424
14.2.4	Producing the Actual Index Entries	424
14.2.5	Additional Bells and Whistles	424
14.2.6	The Driver File	425
14.2.7	A Simple Example of a File Documented with doc	426
14.3	The DOCSTRIP Utility	432
14.3.1	Batch File Commands	433
14.3.2	Conditional Inclusion of Code	434
14.4	An Example of an Installation Procedure	435
A	A L^AT_EX Overview for Package and Class Writers	439
A.1	Linking Markup and Formatting	439
A.1.1	Defining New Commands	440
A.1.2	Defining New Environments	442
A.1.3	Defining and Changing Counters	445
A.1.4	Defining and Changing Space Parameters	447
A.2	Page Markup—Several Kinds of Boxes	451
A.2.1	LR Boxes	452
A.2.2	Paragraph Boxes	455
A.2.3	Rule Boxes	458
A.2.4	Manipulating Boxed Material	459
A.3	Package and Class File Structure	460
A.3.1	The Identification Part	462
A.3.2	The Initial Code Part	463
A.3.3	The Declaration of Options	463
A.3.4	The Execution of Options	464
A.3.5	The Package Loading Part	465
A.3.6	The Main Code Part	466
A.3.7	Special Commands for Package and Class Files	466
A.3.8	Special Commands for Class Files	467
A.4	calc—Arithmetic Calculations	468
A.5	ifthen—Advanced Control Structures	470
B	T_EX Archive Sites	475
B.1	The Main T _E X Internet Sites	475
B.2	Mail Servers	479
B.3	T _E X User Groups	479
	Bibliography	481
	Index	493